



CATALOG

is gator tough

NPT Male Pipe Rigid

C Series - Compression Coupling



Crimp Couplings - One Piece (Compression) for Braided Hose

C Series, R1, R2, R16

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/8-27	C-MP-04-02	04U-102	101HY-2-4	400V
1/4"	1/4-18	C-MP-04-04	04U-104	101HY-4-4	403V
1/4"	3/8-18	C-MP-04-06	04U-106	101HY-6-4	415V
1/4"	1/2-14	C-MP-04-08	04U-108	101HY-8-4	439V
3/8"	1/4-18	C-MP-06-04	06U-104	101HY-4-6	600V
3/8"	3/8-18	C-MP-06-06	06U-106	101HY-6-6	603V
3/8"	1/2-14	C-MP-06-08	06U-108	101HY-8-6	615V
1/2"	3/8-14	C-MP-08-06	08U-106	101HY-6-8	800V
1/2"	1/2-14	C-MP-08-08	08U-108	101HY-8-8	803V
1/2"	3/4-14	C-MP-08-12	08U-112	101HY-12-8	854V
5/8"	1/2-14	C-MP-10-08	10U-108	101HY-8-10	1000V
5/8"	3/4-14	C-MP-10-12	10U-112	101HY-12-10	1003V
3/4"	1/2-14	C-MP-12-08	12U-108	101HY-8-12	1200V
3/4"	3/4-14	C-MP-12-12	12U-112	101HY-12-12	1203V
3/4"	1-11 1/2	C-MP-12-16	12U-116	101HY-16-12	1254V
1"	3/4-14	C-MP-16-12	16U-112	101HY-12-16	1603V
1"	1-11 1/2	C-MP-16-16	16U-116	101HY-16-16	1600V
1-1/4"	1 1/4-11 1/2	C-MP-20-20	20U-120	101HY-20-20	2000V



CATALOG

is gator

NPT Male Pipe Swivel C Series - Compression Coupling



**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-MPX-04-04	04U-J04	113HY-4-4	406V
1/4"	3/8-18	C-MPX-04-06	04U-J06	113HY-6-4	466V
1/4"	1/2-14	C-MPX-04-08	04U-J08	113HY-8-4	
3/8"	1/4-18	C-MPX-06-04	06U-J04	113HY-4-6	666V
3/8"	3/8-18	C-MPX-06-06	06U-J06	113HY-6-6	609V
3/8"	1/2-14	C-MPX-06-08	06U-J08	113HY-8-6	651V
1/2"	3/8-18	C-MPX-08-06	08U-J06	113HY-6-8	857V
1/2"	1/2-14	C-MPX-08-08	08U-J08	113HY-8-8	809V
3/4"	3/4-14	C-MPX-12-12	12U-J12	113HY-12-12	1209V
1"	1-11 1/2	C-MPX-16-16	16U-J16	113HY-16-16	1609V

NPT Male Pipe Swivel 90° Elbow C Series - Compression Coupling



**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-MPX90-04-04	04U-M04	11LHY-4-4	4206V
1/4"	3/8-18	C-MPX90-04-06	04U-M06	11LHY-6-4	
3/8"	1/4-18	C-MPX90-06-04	06U-M04	11LHY-4-6	
3/8"	3/8-18	C-MPX90-06-06	06U-M06	11LHY-6-6	6209V
3/8"	1/2-14	C-MPX90-06-08	06U-M08	11LHY-8-6	

1/2"	1/2-14	C-MPX90-08-08	08U-M08	11LHY-8-8	8209V
3/4"	3/4-14	C-MPX90-12-12	12U-M12	11LHY-12-12	12209V



CATALOG

is gator

NPT Female Pipe Rigid C Series - Compression Coupling

Crimp Couplings - One Piece (Compression) for Braided Hose

C Series,
R1,R2,R16



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/8-27	C-FP-04-02	04U-202	102HY-2-4	436V
1/4"	1/4-18	C-FP-04-04	04U-204	102HY-4-4	412V
3/8"	3/8-18	C-FP-06-06	06U-206	102HY-6-6	612V
3/8"	1/2-14	C-FP-06-08	06U-208	102HY-8-6	
1/2"	1/2-14	C-FP-08-08	08U-208	102HY-8-8	812V

NPT Female Pipe Swivel C Series - Compression Coupling

Crimp Couplings - One Piece (Compression) for Braided Hose

C Series,
R1,R2,R16



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-FPX-04-04	04U-054	107HY-4-4	409V
3/8"	3/8-18	C-FPX-06-06	06U-056	107HY-6-6	606V
3/8"	1/2-14	C-FPX-08-08	08U-058	107HY-8-8	806V

3/4"	3/4-14	C-FPX-12-12	12U-062	107HY-12-12	1206V
1"	1-11 1/2	C-FPX-16-16	16U-066	107HY-16-16	1606V



CATALOG

is gator

JIC 37° Male Straight C Series - Compression Coupling



**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-MJ-04-04	04U-504	103HY-4-4	418V
1/4"	1/2-20	C-MJ-04-05	04U-505	103HY-5-4	421V
1/4"	9/16-18	C-MJ-04-06	04U-506	103HY-6-4	430V
3/8"	9/16-18	C-MJ-06-06	06U-506	103HY-6-6	618V
3/8"	3/4-16	C-MJ-06-08	06U-508	103HY-8-6	621V
3/8"	7/8-14	C-MJ-06-10	06U-510	103HY-10-6	669V
1/2"	9/16-18	C-MJ-08-06	08U-506	103HY-6-8	
1/2"	3/4-16	C-MJ-08-08	08U-508	103HY-8-8	815V
1/2"	7/8-14	C-MJ-08-10	08U-510	103HY-10-8	818V
1/2"	1-1/16-12	C-MJ-08-12	08U-512	103HY-12-8	848V
5/8"	3/4-16	C-MJ-10-08	10U-508	103HY-8-10	
5/8"	7/8-14	C-MJ-10-10	10U-510	103HY-10-10	1018V
5/8"	1-1/16-12	C-MJ-10-12	10U-512	103HY-12-10	1015V
3/4"	7/8-14	C-MJ-12-10	12U-510	103HY-10-12	1218V
3/4"	1-1/16-12	C-MJ-12-12	12U-512	103HY-12-12	1215V
3/4"	1-5/16-12	C-MJ-12-16	12U-516	103HY-16-12	1233V
1"	1-5/16-12	C-MJ-16-16	16U-516	103HY-16-16	1612V



CATALOG 2020

is gator tough

JIC Female (37° Swivel), Straight C Series - Compression Coupling



**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-FJX-04-04	04U-604	106HY-4-4	424V
1/4"	1/2-20	C-FJX-04-05	04U-605	106HY-5-4	427V
1/4"	9/16-18	C-FJX-04-06	04U-606	106HY-6-4	433V
3/8"	7/16-20	C-FJX-06-04	06U-604	106HY-4-6	675V
3/8"	9/16-18	C-FJX-06-06	06U-606	106HY-6-6	627V
3/8"	3/4-16	C-FJX-06-08	06U-608	106HY-8-6	630V
3/8"	7/8-14	C-FJX-06-10	06U-610	106HY-10-6	657V
1/2"	9/16-18	C-FJX-08-06	08U-606	106HY-6-8	842V
1/2"	3/4-16	C-FJX-08-08	08U-608	106HY-8-8	824V
1/2"	7/8-14	C-FJX-08-10	08U-610	106HY-10-8	827V
1/2"	1-1/16-12	C-FJX-08-12	08U-612	106HY-12-8	845V
5/8"	3/4-16	C-FJX-10-08	10U-608	106HY-8-10	1024V
5/8"	7/8-14	C-FJX-10-10	10U-610	106HY-10-10	1018V
5/8"	1-1/16-12	C-FJX-10-12	10U-612	106HY-12-10	1021V
3/4"	7/8-14	C-FJX-12-10	12U-610	106HY-10-12	1230V
3/4"	1-1/16-12	C-FJX-12-12	12U-612	106HY-12-12	1221V
3/4"	1-3/16-12	C-FJX-12-14	12U-614	106HY-14-12	1245V

3/4"	1-5/16-12	C-FJX-12-16	12U-616	106HY-16-12	1236V
1"	1-5/16-12	C-FJX-16-16	16U-616	106HY-16-16	1618V
1-1/4"	1-5/8-12	C-FJX-20-20	20U-620	106HY-20-20	2005V



CATALOG

is gator tough

JIC 37° Female (37° Swivel), Elbow 45° C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-FJX45-04-04	04U-684	137HY-4-4	4127V
1/4"	1/2-20	C-FJX45-04-05	04U-685	137HY-5-4	4154V
3/8"	1/2-20	C-FJX45-06-05	06U-685	137HY-5-6	
3/8"	9/16-18	C-FJX45-06-06	06U-686	137HY-6-6	6157V
3/8"	3/4-16	C-FJX45-06-08	06U-688	137HY-8-6	6168V
1/2"	3/4-16	C-FJX45-08-08	08U-688	137HY-8-8	8130V
1/2"	7/8-14	C-FJX45-08-10	08U-690	137HY-10-8	8157V
5/8"	7/8-14	C-FJX45-10-10	10U-690	137HY-10-10	1057V
5/8"	1-1/16-12	C-FJX45-10-12	10U-692	137HY-12-10	1063V
3/4"	1-1/16-12	C-FJX45-12-12	12U-692	137HY-12-12	12612V
1"	1-5/16-12	C-FJX45-16-16	16U-696	137HY-16-16	16612V




CATALOG

is gator tough

JIC Female (37 ° Swivel), TUBE-Elbow 90° C Series - Compression Coupling

Crimp Couplings- One Piece (Compression) for Braided Hose
C Series,
R1,R2,R16,
R17



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-FJX90-04-04	04U-664	139HY-4-4	4130V
1/4"	1/2-20	C-FJX90-04-05	04U-665	139HY-5-4	4157V
1/4"	9/16-18	C-FJX90-04-06	04U-666	139HY-6-4	4160V
3/8"	9/16-18	C-FJX90-06-06	06U-666	139HY-6-6	6160V
3/8"	3/4-16	C-FJX90-06-08	06U-668	139HY-8-6	6163V
1/2"	3/4-16	C-FJX90-08-08	08U-668	139HY-8-8	8133V
1/2"	7/8-14	C-FJX90-08-10	08U-670	139HY-10-8	8160V
5/8"	7/8-14	C-FJX90-10-10	10U-670	139HY-10-10	1060V
3/4"	1-1/16-12	C-FJX90-12-12	12U-672	139HY-12-12	12651V
1"	1-5/16-12	C-FJX90-16-16	16U-676	139HY-16-16	16651V
1-1/4"	1-5/8-12	C-FJX90-20-20	20U-677	139HY-20-20	20677V

**JIC Female (37° Swivel), Long Drop
C Series - Compression Coupling**

**C Series,
R1,R2,R16**

Crimp Couplings- One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-FJX90L-04-04	04U-644	141HY-4-4	4163V
3/8"	9/16-18	C-FJX90L-06-06	06U-646	141HY-6-6	6166V
3/8"	3/4-16	C-FJX90L-06-08	06U-648	141HY-8-6	6124V
1/2"	3/4-16	C-FJX90L-08-08	08U-648	141HY-8-8	8163V
3/4"	1-1/16-12	C-FJX90L-12-12	12U-652	141HY-12-12	12657V
1"	1-5/16-12	C-FJX90L-16-16	16U-656L33	141HY-16-16	16657V



CATALOG

is gator tough

**SAE 45° Female Swivel, Straight
C Series - Compression Coupling**

**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-24	C-FSX-04-04	04U-404	108HY-4-4	
3/8"	5/8-18	C-FSX-06-06	06U-406	108HY-6-6	633V
3/4"	1-1/16-14	C-FSX-12-12	12U-412	108HY-12-12	1224V

**Male Boss O-Ring (ORB)
C Series - Compression Coupling**



**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-MB-04-04	04U-P04	105HY-4-4	451V
1/4"	9/16-18	C-MB-04-06	04U-P06	105HY-6-4	448V
3/8"	9/16-18	C-MB-06-06	06U-P06	105HY-6-6	636V
3/8"	3/4-16	C-MB-06-08	06U-P08	105HY-8-6	639V
1/2"	3/4-16	C-MB-08-08	08U-P08	105HY-8-8	830V
1/2"	7/8-14	C-MB-08-10	08U-P10	105HY-10-8	833V
1/2"	1-1/16-12	C-MB-08-12	08U-P12	105HY-12-8	860V
5/8"	7/8-14	C-MB-10-10	10U-P10	105HY-10-10	1033V
5/8"	1-1/16-12	C-MB-10-12	10U-P12	105HY-12-10	1036V
3/4"	1-1/16-12	C-MB-12-12	12U-P12	105HY-12-12	1227V



CATALOG

is gator tough

**SAE Straight Thread O-Ring (ORB) Male Swivel
C Series - Compression Coupling**



**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose


Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-MBX-04-04	04U-R04	10GHY-4-4	457V
3/8"	9/16-18	C-MBX-06-06	06U-R06	10GHY-6-6	678V
3/8"	3/4-16	C-MBX-06-08	06U-R08	10GHY-8-6	645V
1/2"	3/4-16	C-MBX-08-08	08U-R08	10GHY-8-8	836V
1/2"	7/8-14	C-MBX-08-10	08U-R10	10GHY-10-8	839V

**SAE Straight Thread O-Ring (ORB) Male Swivel 90 °
C Series - Compression Coupling**

**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided & Spiral Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-MBX90-04-04	04U-R64	11LHY-4-4	
1/4"	9/16-18	C-MBX90-04-06	04U-R66	11LHY-6-4	
3/8"	9/16-18	C-MBX90-06-06	06U-R66	11LHY-6-6	6278V
3/8"	3/4-16	C-MBX90-06-08	06U-R68	11LHY-8-6	6245V
1/2"	3/4-16	C-MBX90-08-08	08U-R68	11LHY-8-8	8236V
1/2"	7/8-14	C-MBX90-08-10	08U-R70	11LHY-10-8	8239V



CATALOG 2020

is gator

**O-Ring Face Seal (ORFS) Male Rigid
C Series - Compression Coupling**

**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	9/16-18	C-MF-04-04	04U-E64	4E64V
3/8"	11/16-16	C-MF-06-06	06U-E66	6E66V
3/8"	13/16-16	C-MF-06-08	06U-E68	6E68V

1/2"	13/16-16	C-MF-08-08	08U-E68	8E68V
5/8"	1-14	C-MF-10-10	10U-E70	10E70V
5/8"	1-3/16-12	C-MF-10-12	10U-E72	10E72V
3/4"	1-3/16-12	C-MF-12-12	12U-E72	12E72V



CATALOG

is gator tough

O-Ring Face Seal (ORFS) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16-18	C-FFORX-04-04	04U-S64	1JSHY-4-4	4S64V

1/4"	11/16-16	C-FFORX-04-06	04U-S66	1JSHY-6-4	4S66V
1/4"	13/16-16	C-FFORX-04-08	04U-S68	1JSHY-8-4	
3/8"	9/16-18	C-FFORX-06-04	06U-S64	1JSHY-4-6	6S64V
3/8"	11/16-16	C-FFORX-06-06	06U-S66	1JSHY-6-6	6S66V
3/8"	13/16-16	C-FFORX-06-08	06U-S68	1JSHY-8-6	6S68V
1/2"	11/16-16	C-FFORX-08-06	08U-S66	1JSHY-6-8	8S66V
1/2"	13/16-16	C-FFORX-08-08	08U-S68	1JSHY-8-8	8S68V
1/2"	1-14	C-FFORX-08-10	08U-S70	1JSHY-10-8	8S70V
1/2"	1-3/16-12	C-FFORX-08-12	08U-S72	1JSHY-12-8	8S72V
5/8"	1-14	C-FFORX-10-10	10U-S70	1JSHY-10-10	10S70V
3/4"	1-3/16-12	C-FFORX-12-12	12U-S72	1JSHY-12-12	12S72V
1"	1-7/16-12	C-FFORX-16-16	16U-S76	1JSHY-16-16	16S76V




CATALOG

is gator

**O-Ring Face Seal (ORFS) Female Swivel 45 ° Tube Elbow
C Series - Compression Coupling**

**C Series,
R1,R2,R16**

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers


Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16-18	C-FFORX45-04-04	04U-L64	1J7HY-4-4	4L64V
1/4"	11/16-16	C-FFORX45-04-06	04U-L66	1J7HY-6-4	4L66V
3/8"	11/16-16	C-FFORX45-06-06	06U-L66	1J7HY-6-6	6L66V
3/8"	13/16-16	C-FFORX45-06-08	06U-L68	1J7HY-8-6	6L68V
1/2"	11/16-16	C-FFORX45-08-06	08U-L66	1J7HY-6-8	8L66V
1/2"	13/16-16	C-FFORX45-08-08	08U-L68	1J7HY-8-8	8L68V
1/2"	1-14	C-FFORX45-08-10	08U-L70	1J7HY-10-8	8L70V
5/8"	1-14	C-FFORX45-10-10	10U-L70	1J7HY-10-10	10L70V
3/4"	1-3/16-12	C-FFORX45-12-12	12U-L72	1J7HY-12-12	12L72V
1"	1-7/16-12	C-FFORX45-16-16	16U-L76	1J7HY-16-16	16L76V



CATALOG

is gator tough

O-Ring Face Seal (ORFS) Female 90° Tube Elbow
C Series - Compression Coupling



**C Series,
R1,R2,R16**



Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16-18	C-FFORX90-04-0	04U-A24	1J9HY-4-4	4A24V
1/4"	11/16-16	C-FFORX90-04-0	04U-A26	1J9HY-6-4	4A26V
3/8"	9/16-18	C-FFORX90-06-0	06U-A24	1J9HY-4-6	6A24V
3/8"	11/16-16	C-FFORX90-06-0	06U-A26	1J9HY-6-6	6A26V
3/8"	13/16-16	C-FFORX90-06-0	06U-A28	1J9HY-8-6	6A28V
1/2"	11/16-16	C-FFORX90-08-0	08U-A26	1J9HY-6-8	8A26V
1/2"	13/16-16	C-FFORX90-08-0	08U-A28	1J9HY-8-8	8A28V
1/2"	1-14	C-FFORX90-08-1	08U-A30	1J9HY-10-8	8A30V
5/8"	1-14	C-FFORX90-10-1	10U-A30	1J9HY-10-10	10A30V
3/4"	1-3/16-12	C-FFORX90-12-1	12U-A32	1J9HY-12-12	12A32V
1"	1-7/16-12	C-FFORX90-16-1	16U-A36	1J9HY-16-16	16A36V



CATALOG

is gator tough

British Standard Pipe Parallel (BSPP) Male Pipe



C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	G-1/4-19	C-MBSPP-04-04	04U-P54	1GUHY-4-4	4P54V
3/8"	G-3/8-19	C-MBSPP-06-06	06U-P56	1GUHY-6-6	6P56V
3/8"	G-1/2-14	C-MBSPP-06-08	06U-P58	1GU9HY-8-6	6P58V
1/2"	G-3/8-19	C-MBSPP-08-06	08U-P56	1GUHY-6-8	8P56V

DIN Light Universal Seat (Metric) Male Rigid C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-MDL-04-08-14	04U-08A	4M08V
3/8"	M18x1.5	C-MDL-06-12-18	06U-12A	6M12V
5/8"	M26x1.5	C-MDL-10-18-26	10U-18A	10M18V



CATALOG 2020

is gator tough



is gator tough

DIN Light Universal Seat (Metric) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-FDINLX-04-14	04U-08C	4C08V
1/4"	M16x1.5	C-FDINLX-04-16	04U-10C	
3/8	M16x1.5	C-FDINLX-06-16	06U-10C	
3/8	M18x1.5	C-FDINLX-06-18	06U-12C	
1/2"	M22x1.5	C-FDINLX-08-22	08U-15C	8C15V

DIN Light Universal Seat (Metric) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
3/8"	M18x1.5	C-FDINLX90-06-1	06U-62D	6D62V



CATALOG




CATALOG

is gator tough

DIN Heavy Universal Seat (Metric) Male Rigid C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/2"	M24x1.5	C-MDH-08-16-24	08U-16F	8M66V

DIN Heavy Universal Seat (Metric) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M16x1.5	C-FDINHX-04-16	04U-58C	4C58V
3/8"	M18x1.5	C-FDINHX-06-18	06U-60C	
3/8"	M20x1.5	C-FDINHX-06-20	06U-62C	6C62V
1/2"	M24x1.5	C-FDINHX-08-24	08U-66C	8C66V
5/8"	M30x2.0	C-FDINHX-10-30	10U-70C	10C70V
3/4"	M30x2.0	C-FDINHX-12-30	12U-70C	12C70V



CATALOG

is gator

Female British Standard Pipe Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	G-1/4-19	C-FBSPX-04-04	04U-354	
3/8"	G-3/8-19	C-FBSPX-06-06	06U-356	
1/2"	G-1/2-14	C-FBSPX-08-08	08U-358	



Female JIS Parallel Pipe Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
3/8"	G-3/8-19	C-FJISX-06-06	06U-06L	



Flareless Tube Rigid C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp



1/4"	7/16-20	C-MBN-04-04	04U-754	
3/8"	7/16-20	C-MBN-06-04	06U-754	
3/8"	9/16-18	C-MBN-06-06	06U-756	
1/2"	3/4-16	C-MBN-08-08	08U-758	




CATALOG

is gator

Komatsu (Metric JIC 30°) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-FKOMX-04-14	04U-14K	4K14V
3/8"	M18x1.5	C-FKOMX-06-18	06U-18K	6K18V
1/2"	M22x1.5	C-FKOMX-08-22	08U-22K	8K22V
5/8"	M24x1.5	C-FKOMX-10-24	10U-24K	10K24V
3/4"	M30x1.5	C-FKOMX-12-30	12U-30K	12K30V

Brake Fittings

C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
3/8"	3/4-20	C-BSPP60D-6-6	06U-Y76	
1/2"	7/8-20	C-BSPP60D-8-8	08U-Y78	



CATALOG 2020

is gator tough

Reusable Fittings for R5 Hose



CATALOG 2020

is gator tough

Reusable Fittings for 100R5 Hose

Reusable Hose End:

1. Screw socket onto hose (left thread) until hose bottoms out. Back out 1/4 turn.
2. Lubricate insert threads and hose ID. Screw insert into socket until hex touches socket.

Female JIC 37 Swivel

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FJX-4-4	24704N-604	4C5-4FJX	20620-4-4	121-4
RU-FJX-6-4	24706N-604	6C5-4RFJX	20620-4-6	
RU-FJX-6-6	24706N-606	6C5-6RFJX	20620-6-6	121-6
RU-FJX-8-8	24708N-608	8C5-8RFJX	20620-8-8	121-8
RU-FJX-8-10	24708N-610	8C5-10RFJX	20620-8-10	
RU-FJX-10-10	24710N-610	10C5-10RFJX	20620-10-10	121-10
RU-FJX-12-12	24712N-612	12C5-12RFJX	20620-12-12	121-12
RU-FJX-16-16	24716N-616	16C5-16RFJX	20620-16-16	121-16
RU-FJX-20-20	06920D-620	20C5-20RFJX	20620-20-20	121-20
RU-FJX-24-24	06924D-624	24C5-24RFJX	20620-24-24	121-24



Female SAE 45 Swivel

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FSX-6-6 SAE	24706N-406	6C5-6RFSX		123-6



RU-FSX-12-12 SAE	24712N-412	12C5-12RFSX		123-12
------------------	------------	-------------	--	--------



CATALOG 2020

is gator tough

Female JIC 45 degree Elbow

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FJX45-10-10	24710N-690	10C10RFFJX45	27720-10-10	4511-10
RU-FJX45-12-12	24712N-692	12C12RFFJX45	27720-12-12	4511-12
RU-FJX45-16-16	24716N-696	16C16RFFJX45	27720-16-16	4511-16



Female JIC 90 Elbow

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FJX90-4-4	24704N-664	4C5-4RFJX90	23920-4-4	90111-4
RU-FJX90-6-6	24706N-666	6C5-6RFJX90	23920-6-6	90111-6
RU-FJX90-8-8	24708N-668	8C5-8RFJX90	23920-8-8	90111-8
RU-FJX90-8-10	24708N-670	8C5-10RFJX90	23920-8-10	
RU-FJX90-10-10	24710N-670	10C5-10RFJX90	23920-10-10	90111-10
RU-FJX90-16-16	24716N-676	16C5-16RFJX90	23920-16-16	90111-16




Female JIC 90 Long Elbow

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FJX90L-10-10	24710N-650	10C5-10RFJX90L	24120-10-10	90111L-10



RU-FJX90L-16-16	24712N-652	16C5-16RFJX90L	24120-16-16	90111L-16
-----------------	------------	----------------	-------------	-----------



CATALOG 2020

is gator tough

Male Pipe Sold

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-MP-4-4	24704N-104	4C5-4RMP	20120-4-4	112-4-4
RU-MP-6-6	24706N-106	6C5-6RMP	20120-6-6	112-6-6
RU-MP-8-8	24708N-108	8C5-8RMP	20120-8-8	112-8-8
RU-MP-10-8	24710N-108	10C5-8RMP	20120-8-10	112-10-8
RU-MP-12-12	24712N-112	12C5-12RMP	20120-12-12	112-12-12
RU-MP-16-16	24716N-116	16C5-16RMP	20120-16-16	112-16-16
RU-MP-20-20	06920D-120	20C5-20RMP	20120-20-20	112-20-20
RU-MP-24-24	06924D-124	24C5-24RMP	20120-24-24	112-24-24



Male Inverted Swivel

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-MIX-4-4	24704N-B04	4C5-4RMIX	26921-4-4	115-4
RU-MIX-5-5	24705N-B05	5C5-5RMIX	26921-5-5	115-5



Male Inverted Swivel 90 Elbow

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-MIX90-4-4	24704N-E04	4C5-4RMIX90	22820-4-4	90115-4-4
RU-MIX90-4-5	24704N-E05	4C5-5RMIX90	22820-5-4	90115-4-5



CATALOG 2020

is gator tough

Crimp on Fittings for R5 Hose



CATALOG

is gator

Crimp On Fittings for 100R5 Hose

Female JIC 37 Swivel

Gator Hose Part #	Weatherhead Part #	CSI Part #
C5-FJX-4-4	06904E-604	
C5-FSX-6-6 SAE	06906E-406	R507-6x6
C5-FJX-8-8	06908E-608	R509-8X8
C5-FJX-10-10	06910E-610	R509-10X10
C5-FJX-12-12	06912E-612	R509-12X12
C5-FJX-16-16	06916E-616	R509-16X16
C5-FJX-20-20	06920E-620	R509-20X20


Gator Hose C5 Series final Crimp Specifications



HOSE Size	Straight Crimp OD	Bubble Crimp OD
3/16" (4)	0.565	0.525
1/4" (5)	0.62	0.585
5/16" (6)	0.71	0.68
3/8" (8)	0.795	0.765
1/2" (10)	0.91	0.91
5/8" (12)	1.1	1.08
7/8" (16)	1.265	1.275
1-1/8" (20)	1.535	1.52
1-3/8" (24)	1.75	1.73

Female JIC 37 Swivel 90 Elbow

Gator Hose Part #	Weatherhead Part #	CSI Part #
C5-FJX90-4-4	06904E-664	R526-4x4
C5-FJX90-6-6	06906E-666	R526-6x6
C5-FJX90-8-8	06908E-668	R526-8X8
C5-FJX90-10-10	06910E-670	R526-10X10



Male Pipe Sold

Gator Hose Part #	Weatherhead Part #	CSI Part #
C5-MP-4-4	0694E-104	R501-4X4
C5-MP-6-6	06906E-106	R501-6X6
C5-MP-8-8	06908E-108	R501-8X8
C5-MP-12-12	06912E-112	R501-12X12
C5-MP-16-16	06916E-116	R501-16X16
C5-MP-20-20	06920E-120	R501-20X20



CATALOG

is gator

Reusable Fittings for 100R2AT Hose (2SN)



CATALOG

is gator tough

Reusable Fittings for 100R2AT Hose

Gator Part #	Weatherhead Part #	CSI Part #
RU2-FJX-4-4	42504N-604	424R-2
RU2-FJX-6-6	42506N-606	624R-2
RU2-FJX-8-8	42508N-608	824R-2



Gator Part #	Weatherhead Part #	CSI Part #
RU2-MP-4-4	42504N-104	N/A
RU2-MP-6-6	42506N-106	N/A
RU2-MP-8-8	42508N-108	N/A



Gator Part #	Weatherhead Part #	CSI Part #
RU2-MJ-4-4	42504N-504	N/A
RU2-MJ-6-6	42506N-506	N/A
RU2-MJ-8-8	42508N-508	N/A



CATALOG

is gator tough

Crimp on Fittings for R7- Thermoplastic Hose



CATALOG


is gator tough

Crimp on Fittings for Thermoplastic R7 Hose


Gator Part #	Weatherhead Part #	CSI Part #
C7-FJX-4-4	04E-604	T209-4X4
C7-FJX-6-6	06E-606	T209-6X6
C7-FJX-8-8	08E-608	T209-8X8
C7-FJX-8-10	08E-610	T209-8X10
C7-FJX-12-12	12E-612	T209-12X12
C7-FJX-16-16	16E-616	T209-16X16



Gator Part #	Weatherhead Part #	CSI Part #
C7-FJX45-8-8	08E-688	T25-8X8



Gator Part #	Weatherhead Part #	CSI Part #
C7-FJX90-6-6	06E-666	T26-6X6
C7-FJX90-8-8	08E-668	T26-8X8



1

1000

1000

1000

1

1000

1

1000

1

1000

1

1000

1000

