



CATALOG 2020

is gator tough



12327 E. 1st St.
Tulsa, OK 74128
918-794-2550 (office)
918-794-2560 (fax)
www.gatorhose.com





CATALOG 2020

is gator tough

Gator Hose, headquartered in Tulsa, Oklahoma, has been a trusted leader in the hydraulic industry since 2009 .

Table of Contents

pg 3	Compatibility
pg 4	Certificate of Liability
pg 5	Freight Policy
pg 7	Hose Interchange
pg 8	Kelly Hose & Gator Superflex Assemblies
pg 9	Hydraulic Hose Product Line
pg 13	Push on Hose (General Purpose Air/fuel)
pg 13	Pressure Washer Hose
pg 14	Pressure Washer Assemblies
pg 15	Crimpers
pg 19	C- Series Crimp Specifications (Weatherhead U-Series/Parker HY)
pg 20	C- Series Product Line (Equivalent to U-series and HY series)
pg 39	Reusable Fittings for R5 Hose
pg 43	Crimp on Fittings for R5 Hose
pg 45	Reusable Fittings for R2 (100R2/2AT) Hose
pg 47	Crimp on Fittings for R7 Thermoplastic Hose
pg 49	200 Series Crimp Specifications (Weatherhead Z/Parker 43)
pg 50	Numbering System for 200 Series
pg 51	200 Series Product Line (Equivalent to Z series and 43 series)
pg 64	Numbering System for 400 Series
pg 65	400 Series Crimp Specifications (Weatherhead 430/Parker 4-wire)
pg 66	400 Series Product Line (Equivalent to 430 and Parker 4-wire)



CATALOG 2020

is gator tough

Hydraulic Hose and Fitting Compatibility

There are a number of SAE Standards that cover the performance requirements of hydraulic hose assemblies. Included are the J517, J516, and J343 Standards.

Hydraulic hose and assemblies that claim to meet SAE J517 standards (e.g. SAE 100R1 and SAE 100 R2) obviously need to be designed for and certified to the criteria defined by SAE. Those criteria include stringent dimensional tolerances (inside, outside, and braid diameters), compound and reinforcement types, length change, cold flexibility and ozone and heat resistance. There are also burst pressure and impulse requirements in J517. Those requirements are for coupled assemblies, and SAE states that "the general and dimensional standards for hydraulic hose fittings are contained in SAE J516".

SAE J343 is the standard that establishes "uniform methods for the testing and performance evaluation of the SAE 100R series of hydraulic hose and hose assemblies". Coupled assemblies are expected to meet or exceed SAE performance if the SAE criteria described above are met.

The purpose of the SAE organization is to provide industry standards for a multitude of products. SAE J517, J516, and J343 provide those standards for fittings, hoses, and coupled assemblies that are used in hydraulic systems.



CATALOG 2020

is gator tough

Attached is a copy of Gator Hose's Certificate of Liability Insurance

ACORD		GATOH-1		OP ID: K1		
CERTIFICATE OF LIABILITY INSURANCE				DATE (MM/DD/YYYY) 09/13/2019		
THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER. IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).						
PRODUCER RICH & CARTMILL, INC 2738 East 51st #400 Tulsa, OK 74105 Raymond M Hale III CIC		CONTACT NAME Raymond M Hale III CIC PHONE (A/C, No, Ext): 918-743-8811 FAX (A/C, No): 918-744-8429 E-MAIL ADDRESS:		INSURER(S) AFFORDING COVERAGE INSURER A: Continental Ins Co 35289 INSURER B: Compsource Mutual Ins Co 36188 INSURER C: INSURER D: INSURER E: INSURER F:		
INSURED Gator Hose LLC 12327 E First St Tulsa, OK 74128						
COVERAGES CERTIFICATE NUMBER: REVISION NUMBER:						
THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.						
INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	☒ COMMERCIAL GENERAL LIABILITY ☐ CLAIMS-MADE ☒ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: ☐ POLICY ☐ PROJ ☐ LOC OTHER:		6045935903	02/25/2019	02/25/2020	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Per occurrence) \$ 300,000 MED EXP (Any one person) \$ 15,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMPOP AGG \$ 2,000,000
A	☐ AUTOMOBILE LIABILITY ☐ ANY AUTO OWNED AUTOS ONLY ☐ HIRE ONLY ☒ SCHEDULED AUTOS ☒ NON-OWNED AUTOS ONLY		C6045935917	02/25/2019	02/25/2020	COMBINED SINGLE LIMIT (Per accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ EACH OCCURRENCE \$ AGGREGATE \$
	☐ UMBRELLA LIAB ☐ EXCESS LIAB ☐ DED ☐ RETENTION \$					EACH OCCURRENCE \$ AGGREGATE \$
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	☐ Y ☒ N N/A	03263297192	04/13/2019	04/13/2020	☒ PER STATUTE ☐ OTH-ER E.L. EACH ACCIDENT \$ 100,000 E.L. DISEASE - EA EMPLOYEE \$ 100,000 E.L. DISEASE - POLICY LIMIT \$ 500,000
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)						
CERTIFICATE HOLDER INSURED COPY				CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE 		

ACORD 25 (2016/03)

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD



CATALOG 2020

is gator tough

Gator Hose **Freight Policy** **Payment Terms**



CATALOG 2020

is gator tough

Gator Hose Freight Policy and Terms & Conditions

Terms: Net 30 Days to approved accounts. Discounts available for early payment.

Freight: F.O.B. Tulsa, OK

1. Coupling orders- Prepaid on C-series , 200 series, or 400 series of \$1,000 or more.

2. Prepaid on orders of \$3,500 hydraulic hose and couplings to one location in continental U.S.A. by carrier of Gator Hose's choice. Freight on quotes and special pricing as specified.

Policy:

Use Gator Hose part numbers and descriptions, and give shipping instructions when ordering.

Check merchandise when received. Report any errors at once. All claims for shortages must be made within 15 days of shipment from our plant. Our responsibility for the condition of the merchandise ends when we deliver it to the carrier. If merchandise is damaged or lost make claim on the carrier.

Returns and allowances: The minimum handling charge for returned merchandise will be \$10.00 or 15% of invoice value of the goods returned, whichever is greater. All returned merchandise must be in saleable condition of current manufacture and pass our inspection. No products may be returned without permission and when given must be freight prepared.

Gator Hose warrants that products sold will be free from defect in material and workmanship. In the event that claims are made with regard to defective materials or workmanship, Gator Hose shall have the option to repair, replace or grant a credit for product determined to be defective at time of sale. The foregoing states Gator Hose sole responsibility for breach of this warranty. In no event shall Gator Hose be liable for consequential damages.

All warranty claims shall be presented within (30) days after the defect is discovered and in addition will be honored only if presented within one year of date of purchase. No other warranty expressed or implied by operation of law or otherwise (including any warranty of merchantability, fitness, or performance), shall exist in connection with the sale or use of any product sold by Gator Hose.

Special order items are not cancelable and may not be returned.

Possession of this schedule does not necessarily entitle anyone to the discounts and policies it contains. All orders are subject to final acceptance by Gator Hose.



CATALOG 2020

is gator tough

Hose Interchange

Description Hose Type	Gator Hose	Weatherhead Hose #	Couplamatic Hose	Parker Hose #	Gates Hose #
TWO WIRE R2 (2SN)	R2-4 (1/4")	H425/H29004	1/4" 2SN	302-4	4G2
	R2-6 (3/8)	H425/H29006	3/8" 2SN	302-6	6G2
	R2-8 (1/2)	H425/H29008	1/2" 2SN	302-8	8G2
	R2-10 (5/8)	H425/H29010	5/8" 2SN	302-10	10G2
	R2-12 (3/4)	H425/H29012	3/4" 2SN	302-12	12G2
	R2-16 (1")	H425/H29016	1" 2SN	302-16	16G2
	R2-20 (1 1/4)	H425/H29020	1 1/4" 2SN	302-20	20G2
	R2-24 (1 1/2)	H425/H29024	1 1/2" 2SN	302-24	24G2
	R2-32 (2")	H425/H29032	2" 2SN	302-32	32G2
TWO WIRE R16	R16-4 (1/4")	H245/H28004	1/4" -16	451TC-4	4M2T
	R16-6 (3/8)	H245/H28006	3/8" -16	451TC-6	6M2T
	R16-8 (1/2)	H245/H28008	1/2" -16	451TC-8	8M2T
	R16-10 (5/8)	H245/H28010	5/8" -16	451TC-10	10M2T
	R16-12 (3/4)	H245/H28012	3/4" -16	451TC-12	12M2T
	R16-16 (1")	H245/H28016	1" -16	451TC-16	16M2T
	R16-20 (1 1/4)	H245/H28020	1 1/4" -16	451TC-20	20M2T
FOUR SPIRAL R12	R12-8 (1/2)	H43008	1/2" RC12B	721-8	8EFG4K
	R12-12 (3/4)	H43012	3/4" RC12B	721-12	12EFG4K
	R12-16 (1")	H43016	16 (1" RC12B	721-16	16EFG4K
	R12-20 (1 1/4)	H43020	1/4" RC12B	721-20	20EFG4K
	R12-24 (1 1/2)	H43024	1/2" RC12B	721-24	24EFG4K
	R12-32 (2")	H43032	32 (2" RC12B	721-32	32EFG4K
FOUR SPIRAL 4SH	4SH-8 (1/2)	H464-8	4SH-1/2"	731TC-8	8EFG5K
	4SH-10 (5/8)	H464-10	4SH-5/8"	731TC-10	10EFG5K
	4SH-12 (3/4)	H464-12	4SH-3/4"	731TC-12	12EFG5K
	4SH-16 (1")	H464-16	4SH-1"	731TC-16	16EFG5K
	4SH-20 (1 1/4)	H464-20	4SH-1 1/4"	731TC-20	20EFG5K
	4SH-24 (1 1/2)	H464-24	4SH-1 1/2"	731TC-24	24EFG5K
	4SH-32 (2")	H464-32	4SH-2"	731TC-32	32EFG5K
SINGLE WIRE R1	R1-4 (1/4)	H104/H19004	56MB-1 -1/4"	451TC-4	4G1
	R1-6 (3/8)	H104/H19006	56MB-1 -3/8"	451TC-6	6G1
	R1-8 (1/2)	H104/H19008	56MB-1 -1/2"	451TC-8	8G1
	R1-10 (5/8)	H104/H19010	56MB-1 -5/8"	422-10	10G1
	R1-12 (3/4)	H104/H19012	56MB-1 -3/4"	422-12	12G1
	R1-16 (1")	H104/H19016	56MB-1 -1"	422-16	16G1
	R1-20 (1 1/4)	H104/H19020	56MB-1 -1 1/4"	422-20	20G1
	R1-24 (1 1/2)	H104/H19024	56MB-1 -1 1/2"	422-24	24G1
	R1-32 (2")	H104/H19032	56MB-1 -2"	422-32	32G1
MULTI PURPOSE HOSE FUEL/AIR	PO-4 (1/4)	H20104	H6H-1/4	801-4	28800
	PO-6 (3/8)	H20106	H6H-3/8	801-6	28806
	PO-8 (1/2)	H20108	H6H-1/2	801-8	28809
	PO-10 (5/8)	H20110	N/A	801-10	28812
	PO-12 (3/4)	H20112	N/A	801-12	28815
	PO-16 (1")	H20116	N/A	801-16	28818



CATALOG 2020

is gator tough

KELLY HOSES

R12-2" - 5000 PSI working with 2" API, NPT-32-32 fittings on both ends
Minimum lead time of 5 working days. Custom lengths and any quantity available.

Item	Part Number
1	R12-32 (2") Assembly 20 ft. API MP 32-32
2	R12-32 (2") Assembly 25 ft. API MP 32-32
3	R12-32 (2") Assembly 45 ft. API MP 32-32
4	R12-32 (2") Assembly 50 ft. API MP 32-32
5	R12-32 (2") Assembly 15 ft. API MP 32-32
6	R12-32 (2") Assembly 10 ft. API MP 32-32
7	R12-32 (2") Assembly 30 ft. API MP 32-32
8	R12-20 (1 1/4") Assembly 100 ft. FJX 20-20

GATOR SUPER FLEX

2"-3000 PSI crimped with 2" API, NPT-32-32 fittings on both ends

Item	Part Number
1	Super Flex (2") Assembly 20 ft. API MP 32-32
2	Super Flex (2") Assembly 25 ft. API MP 32-32
3	Super Flex (2") Assembly 45 ft. API MP 32-32
4	Super Flex (2") Assembly 50 ft. API MP 32-32
5	Super Flex (2") Assembly 15 ft. API MP 32-32
6	Super Flex (2") Assembly 10 ft. API MP 32-32
7	Super Flex (2") Assembly 30 ft. API MP 32-32
8	Super Flex (2") Assembly 100 ft. API MP 32-32

Gator Hose will stock 45 days of inventory with release order.

Gator Hose will be responsible for any manufacture defects on all assemblies.

Gator Hose will cover freight on all orders in excess of \$3,500



CATALOG 2020

is gator tough

Hydraulic Hose

Pressure Washer and Push On (General Purpose) Hose





CATALOG 2020

is gator tough

SAE 100R1AT DIN EN 857

Cover: Black, oil resistant- Synthetic Rubber (Bio-Oil Resistant)

Tube: Black, oil resistant, Nitrile

Reinforcement: one layer of high tensile steel wire

Temperature Range: -40° F to 260° F

MSHA Approved Flame-Resistant



Part #	Hose ID		Hose OD		Max. Oper. Pressure	Min. Burst Pressure	Min. Bend Radius		Hose Length one piece
	mm	in.	mm	in.	PSI	PSI	mm	in.	
1/4"-4	6.4	0.25	13.5	0.53	4,000	13,000	100	4.00	328 ft
3/8"-6	9.5	0.38	18	0.69	3,000	13,600	130	5.00	328 ft
1/2"-8	12.7	0.50	21	0.81	3,000	12,000	180	7.00	328 ft
5/8"-10	15.9	0.63	23.8	0.94	2,000	7,540	203.2	8.00	154 ft
3/4"-12	19.1	0.75	28	1.09	2,000	8,000	240	9.50	154 ft
1"-16	25.4	1.00	36	1.41	1,500	6,000	300	12.00	154 ft
1-1/4"-20	31.8	1.25	43	1.71	1,000	4,000	420	16.50	154 ft
1-1/2"-24	38.1	1.50	51	2.00	750	3,000	500	20.00	154 ft
2"-32	50.8	2.00	64	2.54	575	2,400	630	25.00	154 ft

SAE 100R2AT DIN EN 857 2SN

Cover: Black, oil and abrasion resistant- Neoprene

Tube: Black, oil resistant, Nitrile (BTR)

Temperature Range: -40° F to 260° F

Reinforcement two braids of high tensile steel wire

MSHA Approved Flame-Resistant



Part #	Hose ID		Hose OD		Max. Oper. Pressure	Min. Burst Pressure	Min. Bend Radius		Hose Length one piece
	mm	in.	mm	in.	PSI	PSI	mm	in.	
1/4"-4	6.5	0.25	15.2	0.59	6,500	26,000	101.6	4.00	328 ft
3/8"-6	9.5	0.38	19	0.75	5,800	23,200	127	5.00	328 ft
1/2"-8	12.7	0.50	22	0.875	5,000	20,000	177.8	7.00	328 ft
5/8"-10	15.9	0.63	25	1.00	4,000	16,000	203.2	8.00	154 ft
3/4"-12	19.1	0.75	29	1.16	3,125	12,500	241.3	9.50	328 ft
1"-16	25.4	1.00	38	1.50	3,000	12,000	304.8	12.00	154 ft
1-1/4"-20	31.8	1.25	48	1.88	2,250	10,000	419.1	16.50	154 ft
1-1/2"-24	38.1	1.50	55	2.16	2,000	8,000	508	20.00	154 ft
2"-32	50.8	2.00	68	2.66	1,500	6,000	635	25.00	154 ft



CATALOG 2020

is gator tough

SAE 100R16AT

Meets or exceeds SAE 16 types S, EN857 25C, ISO 11237-1 Type 25C

Cover: Black, oil and abrasion resistant- Neoprene

Tube: Black, oil resistant, Nitrile (BTR)

Temperature Range: -40° F to 260° F

Reinforcement two braids of high tensile steel wire

MSHA Approved Flame-Resistant



Part #	Hose ID		Hose OD		Max. Oper. Pressure	Min. Burst Pressure	Min. Bend Radius		Hose Length one piece
	mm	in.	mm	in.	PSI	PSI	mm	in	
1/4"-4	6.4	0.25	13.5	0.53	6,500	26,000	50.8	2.00	328 ft
3/8"-6	9.5	0.38	18	0.69	5,000	20,000	63.5	2.50	328 ft
1/2"-8	12.7	0.50	21	0.82	5,000	20,000	88.9	3.50	328 ft
5/8"-10	15.9	0.63	24	0.94	4,000	16,000	101.6	4.00	154 ft.
3/4"-12	19.1	0.75	28	1.103	3,120	12,480	120.7	4.75	154 ft
1"-16	25.4	1.00	36	1.415	3,000	12,000	152.4	6.00	154 ft

GATOR SUPERFLEX 3000

EN 857

Cover: Black, oil and abrasion resistant- Neoprene

Tube: Black, oil resistant, Nitrile (BTR)

Reinforcement: Two braids of high tensile steel wire

Temperature Range: -40° F to 212° F

MSHA Approved Flame-Resistant



Part #	Hose ID		Hose OD		Max. Oper. Pressure	Min. Burst Pressure	Min. Bend Radius		Hose Length
	mm	in.	mm	in.	PSI	PSI	mm	in	one piece
2"-32	50.8	2	66.7	2.63	3,000	12,000	430	16.93	154 ft.



CATALOG 2020

is gator tough

SAE 100R12 DIN EN 857

Cover: Black, oil and abrasion resistant- Neoprene

Tube: Black, oil resistant, Nitrile

Reinforcement four spiral layers of high tensile steel wire

Temperature Range: -40° F to 212° F

MSHA Approved Flame-Resistant



Part #	Hose ID		Hose OD		Max Oper. Pressure	Min. Burst Pressure	Min. Bend Radius		Hose Length
	mm	in.	mm	in.	PSI	PSI	mm	in	one piece
1/2"-8	12.7	0.50	23.4	0.92	6000	24000	90	3.50	328 ft
3/4"-12	19.1	0.75	31	1.20	6000	24000	120	4.75	154 ft
1"-16	25.4	1.00	38	1.48	6000	24000	150	6.00	154 ft
1-1/4"-20	31.8	1.25	47	1.83	5000	24000	210	8.25	154 ft
1-1/2"-24	38.1	1.50	55	2.18	4000	16000	250	10.00	154 ft
2"-32	50.8	2.00	68	2.69	5000	22500	320	12.50	154 ft

4 SH DIN EN 857

Cover: Black, oil and abrasion resistant- Synthetic

Tube: Black, oil resistant, Synthetic

Reinforcement: four spiral layers of high tensile steel wire

Temperature Range: -40° F to 212° F

MSHA Approved Flame-Resistant



Part #	Hose ID		Hose OD		Max. Oper. Pressure	Min. Burst Pressure	Min. Bend Radius		Hose Length
	mm	in.	mm	in.	PSI	PSI	mm	in	one piece
5/8"-10	15.9	0.63	28.2	1.11	6,000	24,000	100	4.00	154 ft
3/4"-12	19.1	0.75	33	1.27	6,090	24,360	280	11.00	154 ft
1"-16	25.4	1.00	38	1.5	6,000	24,000	340	13.38	154 ft
1-1/4"-20	31.8	1.25	42	1.79	5,000	20,000	460	18.11	154 ft
1-1/2"-24	38.1	1.50	54	2.11	5,000	20,000	560	22.05	154 ft
2"-32	50.8	2.00	68	2.68	3,625	14,500	700	27.56	154 ft



CATALOG 2020

is gator tough

PUSH ON HOSE

Cover: Black Neoprene

Tube: Nitrile (Bio-Oil Resistant)

Reinforcement: One Fiber braid

Temperature Range -40° to 212° F



Part #	Hose ID		Hose OD		Max. Oper. Pressure	Min. Burst Pressure	Min. Bend Radius		Hose Length
	mm	in.	mm	in.	PSI	PSI	mm	in	one piece
1/4"-4	6.4	0.25	12.7	0.5	400	1,600	76.2	3.00	328 ft
3/8"-6	9.5	0.38	17	0.65	400	1,600	76.2	3.00	328 ft
1/2"-8	12.7	0.50	19.1	0.75	400	1,600	127	5.00	328 ft
5/8"-10	15.9	0.63	22.2	0.88	300	1,200	152.4	6.00	154 ft
3/4"-12	19.1	0.75	26	1.03	300	1,200	177.8	7	154 ft
1"-16	25.4	1.00	37	1.44	250	1,000	184.2	7.25	154 ft

Pressure Washer Hose

4,000 PSI -One Braid of High tensile steel wire

Temperature- 40° to 212° F

Tube-synthetic rubber

Black-Blue-Grey

Part #	Hose ID	OD	W.P.	Spool Size
Black	3/8"	0.68	4,000	300 ft.
Blue/Grey	3/8"	0.68	4,000	300 ft.



6,000 PSI -Two Braid of High tensile steel wire

Temperature- 40° to 212° F

Tube-synthetic rubber

Black-Blue

Part #	Hose ID	OD	W.P.	Spool Size
Black	3/8"	0.71	6,000	300 ft.
Blue	3/8"	0.71	6,000	300 ft.





CATALOG 2020

is gator tough

Pressure Washer Assemblies - 4,000 PSI

Part #	Hose ID	Length	Color
384000X25	3/8"	25 ft.	Black
384000X50	3/8"	50 ft.	Black
384000X100	3/8"	100 ft.	Black
384000X25B or G	3/8"	25 ft.	Blue/Grey
384000X50B or G	3/8"	50 ft.	Blue/Grey
384000X100B or G	3/8"	100 ft.	Blue/Grey



Pressure Washer Assemblies - 6,000 PSI



Part #	Hose ID	Length	Color
386000X25	3/8"	25 ft.	Black
386000X50	3/8"	50 ft.	Black
386000X100	3/8"	100 ft.	Black
386000X25B	3/8"	25 ft.	Blue
386000X50B	3/8"	50 ft.	Blue
386000X100B	3/8"	100 ft.	Blue

Custom lengths are available upon request



CATALOG 2020

is gator tough

Crimpers



CATALOG 2020

is gator tough

Weatherhead T400 Crimper with electric pump 115 volts,

Two rings T400-10 black T400-11 silver, cone T400-8 and the following dies

T400-2C 1/4", 3C 3/8", 4C 1/2", 5C 3/4", 6C 1" dies included

This crimper has the capability to crimp up to 1 1/4" one and two wire hoses



Weatherhead T420 crimper with electric pump 115 volts,

Three rings, T400-10 black, T400-11 silver, T400-62 yellow, T420-25

Adapter bow and the following dies T400-2c 1/4", 3c 3/8", 4c 1/2", 5c 3/4", 6c 1"

and T420-4cn 1/2", 5cn 3/4", 6cn 1", and 7cn 1 1/4"

This unit has the capability to crimp up to 1 1/4" four wire hose





CATALOG 2020

is gator tough

Weatherhead ET4000 Crimper with electric pump 220 volts,

Three rings T410-10 black, T410-11 silver, T410-62 yellow
T410-25 adapter bowl, and the following dies T400-2c 1/4", 3c 3/8", 4c 1/2", 5c 3/4", 6c 1"
T410-4cn 1/2", 5cn 3/4", 6cn 1", 7cn 1 1/4", 8n 1 1/2", 9n 2" (four and six wire dies)

This unit has the capability to crimp up to 2" four and six wire hose

This unit replaces the T440. The ET4000 and the T440 are identical crimpers.



Weatherhead T440 crimper with electric pump 220 volts,

Three rings T410-10 black, T410-11 silver, T410-62 yellow, T410-25
Adapter bowl, and the following dies T400-2c 1/4", 3c 3/8", 4c 1/2", 5c 3/4", 6c 1"
T410-4cn 1/2", 5cn 3/4", 6cn 1", 7cn 1 1/4", 8n 1 1/2", 9n 2" (four and six wire dies)

This unit has the capability to crimp up to 2" four and six wire hose.





CATALOG 2020

is gator tough

Weatherhead T410 Crimper with electric pump 110 volts.

Three rings T410-10 black, T410-11 silver, T410-62 yellow, T410-25 Adapter bowl, and the following dies T400-2c 1/4", 3c 3/8", 4c 1/2", 5c 3/4", 6c 1" and T410-4cn 1/2", 5cn 3/4", 6cn 1", 7cn 1 1/4", 8n 1 1/2", 9n 2" (four and six wire dies)

This unit has the capability to crimp up to 2" four and six wire hose



All Weatherhead Crimpers are refurbished. They include the dies and plates listed under each machine.



CATALOG 2020

is gator tough

Gator Hose C Series final Crimp Specifications Equivalent to the U-Series or HY Series

HOSE PART NUMBER	HOSE OD	COUPLING STYLE	HOSE SIZE	CRIMP DIAMETER +/- .005
R1-04	0.53	C-SERIES--1/4"	1/4"	Not Recommended
R1-06	0.69	C-SERIES--3/8"	3/8"	0.74
R1-08	0.81	C-SERIES--1/2"	1/2"	0.87
R1-10	0.94	C-SERIES--5/8"	5/8"	1.00
R1-12	1.09	C-SERIES--3/4"	3/4"	1.16
R1-16	1.41	C-SERIES--1"	1"	1.45
R1-20	1.71	C-SERIES--1-1/4"	1-1/4"	1.785
R2-04	0.593	C-SERIES--1/4"	1/4"	0.62
R2-06	0.75	C-SERIES--3/8"	3/8"	0.795
R2-08	0.875	C-SERIES--1/2"	1/2"	0.915
R2-10	1.00	C-SERIES--5/8"	5/8"	1.05
R2-12	1.157	C-SERIES--3/4"	3/4"	1.205
R2-16	1.50	C-SERIES--1"	1"	1.525
R2-20	1.88	C-SERIES--1-1/4"	1-1/4"	1.85
R16-04	0.53	C-SERIES--1/4"	1/4"	0.595
R16-06	0.693	C-SERIES--3/8"	3/8"	0.735
R16-08	0.823	C-SERIES--1/2"	1/2"	0.865
R16-10	0.94	C-SERIES--5/8"	5/8"	1.01
R16-12	1.10	C-SERIES--3/4"	3/4"	1.172
R16-16	1.415	C-SERIES--1"	1"	1.477



CATALOG 2020

is gator tough

C Series Fittings

Equivalent to Weatherhead U Series and Parker HY Series

For Hoses 100R1, 100R2, 2SN (up to 1-1/4"), 100R16





CATALOG 2020

is gator tough

NPT Male Pipe Rigid

C Series - Compression Coupling



Crimp Couplings - One Piece (Compression) for Braided Hose

C Series, R1, R2, R16

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/8-27	C-MP-04-02	04U-102	101HY-2-4	400V
1/4"	1/4-18	C-MP-04-04	04U-104	101HY-4-4	403V
1/4"	3/8-18	C-MP-04-06	04U-106	101HY-6-4	415V
1/4"	1/2-14	C-MP-04-08	04U-108	101HY-8-4	439V
3/8"	1/4-18	C-MP-06-04	06U-104	101HY-4-6	600V
3/8"	3/8-18	C-MP-06-06	06U-106	101HY-6-6	603V
3/8"	1/2-14	C-MP-06-08	06U-108	101HY-8-6	615V
1/2"	3/8-14	C-MP-08-06	08U-106	101HY-6-8	800V
1/2"	1/2-14	C-MP-08-08	08U-108	101HY-8-8	803V
1/2"	3/4-14	C-MP-08-12	08U-112	101HY-12-8	854V
5/8"	1/2-14	C-MP-10-08	10U-108	101HY-8-10	1000V
5/8"	3/4-14	C-MP-10-12	10U-112	101HY-12-10	1003V
3/4"	1/2-14	C-MP-12-08	12U-108	101HY-8-12	1200V
3/4"	3/4-14	C-MP-12-12	12U-112	101HY-12-12	1203V
3/4"	1-11 1/2	C-MP-12-16	12U-116	101HY-16-12	1254V
1"	3/4-14	C-MP-16-12	16U-112	101HY-12-16	1603V
1"	1-11 1/2	C-MP-16-16	16U-116	101HY-16-16	1600V
1-1/4"	1 1/4-11 1/2	C-MP-20-20	20U-120	101HY-20-20	2000V



CATALOG 2020

is gator tough

NPT Male Pipe Swivel

C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-MPX-04-04	04U-J04	113HY-4-4	406V
1/4"	3/8-18	C-MPX-04-06	04U-J06	113HY-6-4	466V
1/4"	1/2-14	C-MPX-04-08	04U-J08	113HY-8-4	
3/8"	1/4-18	C-MPX-06-04	06U-J04	113HY-4-6	666V
3/8"	3/8-18	C-MPX-06-06	06U-J06	113HY-6-6	609V
3/8"	1/2-14	C-MPX-06-08	06U-J08	113HY-8-6	651V
1/2"	3/8-18	C-MPX-08-06	08U-J06	113HY-6-8	857V
1/2"	1/2-14	C-MPX-08-08	08U-J08	113HY-8-8	809V
3/4"	3/4-14	C-MPX-12-12	12U-J12	113HY-12-12	1209V
1"	1-11 1/2	C-MPX-16-16	16U-J16	113HY-16-16	1609V

NPT Male Pipe Swivel 90° Elbow

C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-MPX90-04-04	04U-M04	11LHY-4-4	4206V
1/4"	3/8-18	C-MPX90-04-06	04U-M06	11LHY-6-4	
3/8"	1/4-18	C-MPX90-06-04	06U-M04	11LHY-4-6	
3/8"	3/8-18	C-MPX90-06-06	06U-M06	11LHY-6-6	6209V
3/8"	1/2-14	C-MPX90-06-08	06U-M08	11LHY-8-6	
1/2"	1/2-14	C-MPX90-08-08	08U-M08	11LHY-8-8	8209V
3/4"	3/4-14	C-MPX90-12-12	12U-M12	11LHY-12-12	12209V



CATALOG 2020

is gator tough

NPT Female Pipe Rigid

C Series - Compression Coupling

Crimp Couplings - One Piece (Compression) for Braided Hose

**C Series,
R1,R2,R16**



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/8-27	C-FP-04-02	04U-202	102HY-2-4	436V
1/4"	1/4-18	C-FP-04-04	04U-204	102HY-4-4	412V
3/8"	3/8-18	C-FP-06-06	06U-206	102HY-6-6	612V
3/8"	1/2-14	C-FP-06-08	06U-208	102HY-8-6	
1/2"	1/2-14	C-FP-08-08	08U-208	102HY-8-8	812V

NPT Female Pipe Swivel

C Series - Compression Coupling

Crimp Couplings - One Piece (Compression) for Braided Hose

**C Series,
R1,R2,R16**



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-FPX-04-04	04U-054	107HY-4-4	409V
3/8"	3/8-18	C-FPX-06-06	06U-056	107HY-6-6	606V
3/8"	1/2-14	C-FPX-08-08	08U-058	107HY-8-8	806V
3/4"	3/4-14	C-FPX-12-12	12U-062	107HY-12-12	1206V
1"	1-11 1/2	C-FPX-16-16	16U-066	107HY-16-16	1606V



CATALOG 2020

is gator tough

JIC 37° Male Straight C Series - Compression Coupling



C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-MJ-04-04	04U-504	103HY-4-4	418V
1/4"	1/2-20	C-MJ-04-05	04U-505	103HY-5-4	421V
1/4"	9/16-18	C-MJ-04-06	04U-506	103HY-6-4	430V
3/8"	9/16-18	C-MJ-06-06	06U-506	103HY-6-6	618V
3/8"	3/4-16	C-MJ-06-08	06U-508	103HY-8-6	621V
3/8"	7/8-14	C-MJ-06-10	06U-510	103HY-10-6	669V
1/2"	9/16-18	C-MJ-08-06	08U-506	103HY-6-8	
1/2"	3/4-16	C-MJ-08-08	08U-508	103HY-8-8	815V
1/2"	7/8-14	C-MJ-08-10	08U-510	103HY-10-8	818V
1/2"	1-1/16-12	C-MJ-08-12	08U-512	103HY-12-8	848V
5/8"	3/4-16	C-MJ-10-08	10U-508	103HY-8-10	
5/8"	7/8-14	C-MJ-10-10	10U-510	103HY-10-10	1018V
5/8"	1-1/16-12	C-MJ-10-12	10U-512	103HY-12-10	1015V
3/4"	7/8-14	C-MJ-12-10	12U-510	103HY-10-12	1218V
3/4"	1-1/16-12	C-MJ-12-12	12U-512	103HY-12-12	1215V
3/4"	1-5/16-12	C-MJ-12-16	12U-516	103HY-16-12	1233V
1"	1-5/16-12	C-MJ-16-16	16U-516	103HY-16-16	1612V



CATALOG 2020

is gator tough

JIC Female (37° Swivel), Straight C Series - Compression Coupling



C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-FJX-04-04	04U-604	106HY-4-4	424V
1/4"	1/2-20	C-FJX-04-05	04U-605	106HY-5-4	427V
1/4"	9/16-18	C-FJX-04-06	04U-606	106HY-6-4	433V
3/8"	7/16-20	C-FJX-06-04	06U-604	106HY-4-6	675V
3/8"	9/16-18	C-FJX-06-06	06U-606	106HY-6-6	627V
3/8"	3/4-16	C-FJX-06-08	06U-608	106HY-8-6	630V
3/8"	7/8-14	C-FJX-06-10	06U-610	106HY-10-6	657V
1/2"	9/16-18	C-FJX-08-06	08U-606	106HY-6-8	842V
1/2"	3/4-16	C-FJX-08-08	08U-608	106HY-8-8	824V
1/2"	7/8-14	C-FJX-08-10	08U-610	106HY-10-8	827V
1/2"	1-1/16-12	C-FJX-08-12	08U-612	106HY-12-8	845V
5/8"	3/4-16	C-FJX-10-08	10U-608	106HY-8-10	1024V
5/8"	7/8-14	C-FJX-10-10	10U-610	106HY-10-10	1018V
5/8"	1-1/16-12	C-FJX-10-12	10U-612	106HY-12-10	1021V
3/4"	7/8-14	C-FJX-12-10	12U-610	106HY-10-12	1230V
3/4"	1-1/16-12	C-FJX-12-12	12U-612	106HY-12-12	1221V
3/4"	1-3/16-12	C-FJX-12-14	12U-614	106HY-14-12	1245V
3/4"	1-5/16-12	C-FJX-12-16	12U-616	106HY-16-12	1236V
1"	1-5/16-12	C-FJX-16-16	16U-616	106HY-16-16	1618V
1-1/4"	1-5/8-12	C-FJX-20-20	20U-620	106HY-20-20	2005V



CATALOG 2020

is gator tough

JIC 37° Female (37° Swivel), Elbow 45°

C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-FJX45-04-04	04U-684	137HY-4-4	4127V
1/4"	1/2-20	C-FJX45-04-05	04U-685	137HY-5-4	4154V
3/8"	1/2-20	C-FJX45-06-05	06U-685	137HY-5-6	
3/8"	9/16-18	C-FJX45-06-06	06U-686	137HY-6-6	6157V
3/8"	3/4-16	C-FJX45-06-08	06U-688	137HY-8-6	6168V
1/2"	3/4-16	C-FJX45-08-08	08U-688	137HY-8-8	8130V
1/2"	7/8-14	C-FJX45-08-10	08U-690	137HY-10-8	8157V
5/8"	7/8-14	C-FJX45-10-10	10U-690	137HY-10-10	1057V
5/8"	1-1/16-12	C-FJX45-10-12	10U-692	137HY-12-10	1063V
3/4"	1-1/16-12	C-FJX45-12-12	12U-692	137HY-12-12	12612V
1"	1-5/16-12	C-FJX45-16-16	16U-696	137HY-16-16	16612V



CATALOG 2020

is gator tough

JIC Female (37 ° Swivel), TUBE-Elbow 90 °

C Series - Compression Coupling

Crimp Couplings- One Piece (Compression) for Braided Hose

**C Series,
R1,R2,R16,**



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-FJX90-04-04	04U-664	139HY-4-4	4130V
1/4"	1/2-20	C-FJX90-04-05	04U-665	139HY-5-4	4157V
1/4"	9/16-18	C-FJX90-04-06	04U-666	139HY-6-4	4160V
3/8"	9/16-18	C-FJX90-06-06	06U-666	139HY-6-6	6160V
3/8"	3/4-16	C-FJX90-06-08	06U-668	139HY-8-6	6163V
1/2"	3/4-16	C-FJX90-08-08	08U-668	139HY-8-8	8133V
1/2"	7/8-14	C-FJX90-08-10	08U-670	139HY-10-8	8160V
5/8"	7/8-14	C-FJX90-10-10	10U-670	139HY-10-10	1060V
3/4"	1-1/16-12	C-FJX90-12-12	12U-672	139HY-12-12	12651V
1"	1-5/16-12	C-FJX90-16-16	16U-676	139HY-16-16	16651V
1-1/4"	1-5/8-12	C-FJX90-20-20	20U-677	139HY-20-20	20677V

JIC Female (37 ° Swivel), Long Drop

C Series - Compression Coupling

**C Series,
R1,R2,R16**

Crimp Couplings- One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-FJX90L-04-04	04U-644	141HY-4-4	4163V
3/8"	9/16-18	C-FJX90L-06-06	06U-646	141HY-6-6	6166V
3/8"	3/4-16	C-FJX90L-06-08	06U-648	141HY-8-6	6124V
1/2"	3/4-16	C-FJX90L-08-08	08U-648	141HY-8-8	8163V
3/4"	1-1/16-12	C-FJX90L-12-12	12U-652	141HY-12-12	12657V
1"	1-5/16-12	C-FJX90L-16-16	16U-656L33	141HY-16-16	16657V



CATALOG 2020

is gator tough

SAE 45° Female Swivel, Straight C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-24	C-FSX-04-04	04U-404	108HY-4-4	
3/8"	5/8-18	C-FSX-06-06	06U-406	108HY-6-6	633V
3/4"	1-1/16-14	C-FSX-12-12	12U-412	108HY-12-12	1224V

Male Boss O-Ring (ORB) C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-MB-04-04	04U-P04	105HY-4-4	451V
1/4"	9/16-18	C-MB-04-06	04U-P06	105HY-6-4	448V
3/8"	9/16-18	C-MB-06-06	06U-P06	105HY-6-6	636V
3/8"	3/4-16	C-MB-06-08	06U-P08	105HY-8-6	639V
1/2"	3/4-16	C-MB-08-08	08U-P08	105HY-8-8	830V
1/2"	7/8-14	C-MB-08-10	08U-P10	105HY-10-8	833V
1/2"	1-1/16-12	C-MB-08-12	08U-P12	105HY-12-8	860V
5/8"	7/8-14	C-MB-10-10	10U-P10	105HY-10-10	1033V
5/8"	1-1/16-12	C-MB-10-12	10U-P12	105HY-12-10	1036V
3/4"	1-1/16-12	C-MB-12-12	12U-P12	105HY-12-12	1227V



CATALOG 2020

is gator tough

SAE Straight Thread O-Ring (ORB) Male Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose




Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-MBX-04-04	04U-R04	10GHY-4-4	457V
3/8"	9/16-18	C-MBX-06-06	06U-R06	10GHY-6-6	678V
3/8"	3/4-16	C-MBX-06-08	06U-R08	10GHY-8-6	645V
1/2"	3/4-16	C-MBX-08-08	08U-R08	10GHY-8-8	836V
1/2"	7/8-14	C-MBX-08-10	08U-R10	10GHY-10-8	839V

SAE Straight Thread O-Ring (ORB) Male Swivel 90° C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided & Spiral Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16-20	C-MBX90-04-04	04U-R64	11LHY-4-4	
1/4"	9/16-18	C-MBX90-04-06	04U-R66	11LHY-6-4	
3/8"	9/16-18	C-MBX90-06-06	06U-R66	11LHY-6-6	6278V
3/8"	3/4-16	C-MBX90-06-08	06U-R68	11LHY-8-6	6245V
1/2"	3/4-16	C-MBX90-08-08	08U-R68	11LHY-8-8	8236V
1/2"	7/8-14	C-MBX90-08-10	08U-R70	11LHY-10-8	8239V



CATALOG 2020

is gator tough

O-Ring Face Seal (ORFS) Male Rigid C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	9/16-18	C-MF-04-04	04U-E64	4E64V
3/8"	11/16-16	C-MF-06-06	06U-E66	6E66V
3/8"	13/16-16	C-MF-06-08	06U-E68	6E68V
1/2"	13/16-16	C-MF-08-08	08U-E68	8E68V
5/8"	1-14	C-MF-10-10	10U-E70	10E70V
5/8"	1-3/16-12	C-MF-10-12	10U-E72	10E72V
3/4"	1-3/16-12	C-MF-12-12	12U-E72	12E72V



CATALOG 2020

is gator tough

O-Ring Face Seal (ORFS) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16-18	C-FFORX-04-04	04U-S64	1JSHY-4-4	4S64V
1/4"	11/16-16	C-FFORX-04-06	04U-S66	1JSHY-6-4	4S66V
1/4"	13/16-16	C-FFORX-04-08	04U-S68	1JSHY-8-4	
3/8"	9/16-18	C-FFORX-06-04	06U-S64	1JSHY-4-6	6S64V
3/8"	11/16-16	C-FFORX-06-06	06U-S66	1JSHY-6-6	6S66V
3/8"	13/16-16	C-FFORX-06-08	06U-S68	1JSHY-8-6	6S68V
1/2"	11/16-16	C-FFORX-08-06	08U-S66	1JSHY-6-8	8S66V
1/2"	13/16-16	C-FFORX-08-08	08U-S68	1JSHY-8-8	8S68V
1/2"	1-14	C-FFORX-08-10	08U-S70	1JSHY-10-8	8S70V
1/2"	1-3/16-12	C-FFORX-08-12	08U-S72	1JSHY-12-8	8S72V
5/8"	1-14	C-FFORX-10-10	10U-S70	1JSHY-10-10	10S70V
3/4"	1-3/16-12	C-FFORX-12-12	12U-S72	1JSHY-12-12	12S72V
1"	1-7/16-12	C-FFORX-16-16	16U-S76	1JSHY-16-16	16S76V




CATALOG 2020

is gator tough

O-Ring Face Seal (ORFS) Female Swivel 45° Tube Elbow C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16-18	C-FFORX45-04-04	04U-L64	1J7HY-4-4	4L64V
1/4"	11/16-16	C-FFORX45-04-06	04U-L66	1J7HY-6-4	4L66V
3/8"	11/16-16	C-FFORX45-06-06	06U-L66	1J7HY-6-6	6L66V
3/8"	13/16-16	C-FFORX45-06-08	06U-L68	1J7HY-8-6	6L68V
1/2"	11/16-16	C-FFORX45-08-06	08U-L66	1J7HY-6-8	8L66V
1/2"	13/16-16	C-FFORX45-08-08	08U-L68	1J7HY-8-8	8L68V
1/2"	1-14	C-FFORX45-08-10	08U-L70	1J7HY-10-8	8L70V
5/8"	1-14	C-FFORX45-10-10	10U-L70	1J7HY-10-10	10L70V
3/4"	1-3/16-12	C-FFORX45-12-12	12U-L72	1J7HY-12-12	12L72V
1"	1-7/16-12	C-FFORX45-16-16	16U-L76	1J7HY-16-16	16L76V




CATALOG 2020

is gator tough

O-Ring Face Seal (ORFS) Female 90° Tube Elbow C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16-18	C-FFORX90-04-04	04U-A24	1J9HY-4-4	4A24V
1/4"	11/16-16	C-FFORX90-04-06	04U-A26	1J9HY-6-4	4A26V
3/8"	9/16-18	C-FFORX90-06-04	06U-A24	1J9HY-4-6	6A24V
3/8"	11/16-16	C-FFORX90-06-06	06U-A26	1J9HY-6-6	6A26V
3/8"	13/16-16	C-FFORX90-06-08	06U-A28	1J9HY-8-6	6A28V
1/2"	11/16-16	C-FFORX90-08-06	08U-A26	1J9HY-6-8	8A26V
1/2"	13/16-16	C-FFORX90-08-08	08U-A28	1J9HY-8-8	8A28V
1/2"	1-14	C-FFORX90-08-10	08U-A30	1J9HY-10-8	8A30V
5/8"	1-14	C-FFORX90-10-10	10U-A30	1J9HY-10-10	10A30V
3/4"	1-3/16-12	C-FFORX90-12-12	12U-A32	1J9HY-12-12	12A32V
1"	1-7/16-12	C-FFORX90-16-16	16U-A36	1J9HY-16-16	16A36V



CATALOG 2020

is gator tough

British Standard Pipe Parallel (BSPP) Male Pipe C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	G-1/4-19	C-MBSPP-04-04	04U-P54	1GUHY-4-4	4P54V
3/8"	G-3/8-19	C-MBSPP-06-06	06U-P56	1GUHY-6-6	6P56V
3/8"	G-1/2-14	C-MBSPP-06-08	06U-P58	1GU9HY-8-6	6P58V
1/2"	G-3/8-19	C-MBSPP-08-06	08U-P56	1GUHY-6-8	8P56V

DIN Light Universal Seat (Metric) Male Rigid C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-MDL-04-08-14	04U-08A	4M08V
3/8"	M18x1.5	C-MDL-06-12-18	06U-12A	6M12V
5/8"	M26x1.5	C-MDL-10-18-26	10U-18A	10M18V



CATALOG 2020

is gator tough

DIN Light Universal Seat (Metric) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-FDINLX-04-14	04U-08C	4C08V
1/4"	M16x1.5	C-FDINLX-04-16	04U-10C	
3/8	M16x1.5	C-FDINLX-06-16	06U-10C	
3/8	M18x1.5	C-FDINLX-06-18	06U-12C	
1/2"	M22x1.5	C-FDINLX-08-22	08U-15C	8C15V

DIN Light Universal Seat (Metric) Female Swivel 90° C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
3/8"	M18x1.5	C-FDINLX90-06-18	06U-62D	6D62V



CATALOG 2020

is gator tough

DIN Heavy Universal Seat (Metric) Male Rigid C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/2"	M24x1.5	C-MDH-08-16-24	08U-16F	8M66V

DIN Heavy Universal Seat (Metric) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M16x1.5	C-FDINHX-04-16	04U-58C	4C58V
3/8"	M18x1.5	C-FDINHX-06-18	06U-60C	
3/8"	M20x1.5	C-FDINHX-06-20	06U-62C	6C62V
1/2"	M24x1.5	C-FDINHX-08-24	08U-66C	8C66V
5/8"	M30x2.0	C-FDINHX-10-30	10U-70C	10C70V
3/4"	M30x2.0	C-FDINHX-12-30	12U-70C	12C70V



CATALOG 2020

is gator tough

Female British Standard Pipe Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	G-1/4-19	C-FBSPX-04-04	04U-354	
3/8"	G-3/8-19	C-FBSPX-06-06	06U-356	
1/2"	G-1/2-14	C-FBSPX-08-08	08U-358	



Female JIS Parallel Pipe Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
3/8"	G-3/8-19	C-FJISX-06-06	06U-06L	



Flareless Tube Rigid C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	7/16-20	C-MBN-04-04	04U-754	
3/8"	7/16-20	C-MBN-06-04	06U-754	
3/8"	9/16-18	C-MBN-06-06	06U-756	
1/2"	3/4-16	C-MBN-08-08	08U-758	






CATALOG 2020

is gator tough

Komatsu (Metric JIC 30°) Female Swivel C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-FKOMX-04-14	04U-14K	4K14V
3/8"	M18x1.5	C-FKOMX-06-18	06U-18K	6K18V
1/2"	M22x1.5	C-FKOMX-08-22	08U-22K	8K22V
5/8"	M24x1.5	C-FKOMX-10-24	10U-24K	10K24V
3/4"	M30x1.5	C-FKOMX-12-30	12U-30K	12K30V

Brake Fittings

C Series - Compression Coupling

C Series,
R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
3/8"	3/4-20	C-BSPP60D-6-6	06U-Y76	
1/2"	7/8-20	C-BSPP60D-8-8	08U-Y78	



CATALOG 2020

is gator tough

Reusable Fittings for R5 Hose



CATALOG 2020

is gator tough

Reusable Fittings for 100R5 Hose

Reusable Hose End:

1. Screw socket onto hose (left thread) until hose bottoms out. Back out 1/4 turn.
2. Lubricate insert threads and hose ID. Screw insert into socket until hex touches socket.

Female JIC 37 Swivel

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FJX-4-4	24704N-604	4C5-4FJX	20620-4-4	121-4
RU-FJX-6-4	24706N-604	6C5-4RFJX	20620-4-6	
RU-FJX-6-6	24706N-606	6C5-6RFJX	20620-6-6	121-6
RU-FJX-8-8	24708N-608	8C5-8RFJX	20620-8-8	121-8
RU-FJX-8-10	24708N-610	8C5-10RFJX	20620-8-10	
RU-FJX-10-10	24710N-610	10C5-10RFJX	20620-10-10	121-10
RU-FJX-12-12	24712N-612	12C5-12RFJX	20620-12-12	121-12
RU-FJX-16-16	24716N-616	16C5-16RFJX	20620-16-16	121-16
RU-FJX-20-20	06920D-620	20C5-20RFJX	20620-20-20	121-20
RU-FJX-24-24	06924D-624	24C5-24RFJX	20620-24-24	121-24



Female SAE 45 Swivel

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FSX-6-6 SAE	24706N-406	6C5-6RFSX		123-6
RU-FSX-12-12 SAE	24712N-412	12C5-12RFSX		123-12





CATALOG 2020

is gator tough

Female JIC 45 degree Elbow

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FJX45-10-10	24710N-690	10C10RFFJX45	27720-10-10	4511-10
RU-FJX45-12-12	24712N-692	12C12RFFJX45	27720-12-12	4511-12
RU-FJX45-16-16	24716N-696	16C16RFFJX45	27720-16-16	4511-16



Female JIC 90 Elbow

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FJX90-4-4	24704N-664	4C5-4RFJX90	23920-4-4	90111-4
RU-FJX90-6-6	24706N-666	6C5-6RFJX90	23920-6-6	90111-6
RU-FJX90-8-8	24708N-668	8C5-8RFJX90	23920-8-8	90111-8
RU-FJX90-8-10	24708N-670	8C5-10RFJX90	23920-8-10	
RU-FJX90-10-10	24710N-670	10C5-10RFJX90	23920-10-10	90111-10
RU-FJX90-16-16	24716N-676	16C5-16RFJX90	23920-16-16	90111-16



Female JIC 90 Long Elbow

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-FJX90L-10-10	24710N-650	10C5-10RFJX90L	24120-10-10	90111L-10
RU-FJX90L-16-16	24712N-652	16C5-16RFJX90L	24120-16-16	90111L-16





CATALOG 2020

is gator tough

Male Pipe Sold

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-MP-4-4	24704N-104	4C5-4RMP	20120-4-4	112-4-4
RU-MP-6-6	24706N-106	6C5-6RMP	20120-6-6	112-6-6
RU-MP-8-8	24708N-108	8C5-8RMP	20120-8-8	112-8-8
RU-MP-10-8	24710N-108	10C5-8RMP	20120-8-10	112-10-8
RU-MP-12-12	24712N-112	12C5-12RMP	20120-12-12	112-12-12
RU-MP-16-16	24716N-116	16C5-16RMP	20120-16-16	112-16-16
RU-MP-20-20	06920D-120	20C5-20RMP	20120-20-20	112-20-20
RU-MP-24-24	06924D-124	24C5-24RMP	20120-24-24	112-24-24



Male Inverted Swivel

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-MIX-4-4	24704N-B04	4C5-4RMIX	26921-4-4	115-4
RU-MIX-5-5	24705N-B05	5C5-5RMIX	26921-5-5	115-5



Male Inverted Swivel 90 Elbow

Gator Hose Part #	Weatherhead Part #	Gates Part #	Parker Part #	Lenz Part #
RU-MIX90-4-4	24704N-E04	4C5-4RMIX90	22820-4-4	90115-4-4
RU-MIX90-4-5	24704N-E05	4C5-5RMIX90	22820-5-4	90115-4-5





CATALOG 2020

is gator tough

Crimp on Fittings for R5 Hose



CATALOG 2020

is gator tough

Crimp On Fittings for 100R5 Hose

Female JIC 37 Swivel

Gator Hose Part #	Weatherhead Part #	CSI Part #
C5-FJX-4-4	06904E-604	
C5-FSX-6-6 SAE	06906E-406	R507-6x6
C5-FJX-8-8	06908E-608	R509-8X8
C5-FJX-10-10	06910E-610	R509-10X10
C5-FJX-12-12	06912E-612	R509-12X12
C5-FJX-16-16	06916E-616	R509-16X16
C5-FJX-20-20	06920E-620	R509-20X20



Gator Hose C5 Series final Crimp Specifications

HOSE Size	Straight Crimp OD	Bubble Crimp OD
3/16" (4)	0.565	0.525
1/4" (5)	0.62	0.585
5/16" (6)	0.71	0.68
13/32" (8)	0.795	0.765
1/2" (10)	0.91	0.91
5/8" (12)	1.1	1.08
7/8" (16)	1.265	1.275
1-1/8" (20)	1.535	1.52
1-3/8" (24)	1.75	1.73

Female JIC 37 Swivel 90 Elbow

Gator Hose Part #	Weatherhead Part #	CSI Part #
C5-FJX90-4-4	06904E-664	R526-4x4
C5-FJX90-6-6	06906E-666	R526-6x6
C5-FJX90-8-8	06908E-668	R526-8X8
C5-FJX90-10-10	06910E-670	R526-10X10



Male Pipe Sold

Gator Hose Part #	Weatherhead Part #	CSI Part #
C5-MP-4-4	0694E-104	R501-4X4
C5-MP-6-6	06906E-106	R501-6X6
C5-MP-8-8	06908E-108	R501-8X8
C5-MP-12-12	06912E-112	R501-12X12
C5-MP-16-16	06916E-116	R501-16X16
C5-MP-20-20	06920E-120	R501-20X20





CATALOG 2020

is gator tough

Reusable Fittings for 100R2AT Hose (2SN)



CATALOG 2020


is gator tough

Reusable Fittings for 100R2AT Hose

Gator Part #	Weatherhead Part #	CSI Part #
RU2-FJX-4-4	42504N-604	424R-2
RU2-FJX-6-6	42506N-606	624R-2
RU2-FJX-8-8	42508N-608	824R-2



Gator Part #	Weatherhead Part #	CSI Part #
RU2-MP-4-4	42504N-104	N/A
RU2-MP-6-6	42506N-106	N/A
RU2-MP-8-8	42508N-108	N/A



Gator Part #	Weatherhead Part #	CSI Part #
RU2-MJ-4-4	42504N-504	N/A
RU2-MJ-6-6	42506N-506	N/A
RU2-MJ-8-8	42508N-508	N/A





CATALOG 2020

is gator tough

Crimp on Fittings for R7- Thermoplastic Hose



CATALOG 2020


is gator tough

Crimp on Fittings for Thermoplastic R7 Hose


Gator Part #	Weatherhead Part #	CSI Part #
C7-FJX-4-4	04E-604	T209-4X4
C7-FJX-6-6	06E-606	T209-6X6
C7-FJX-8-8	08E-608	T209-8X8
C7-FJX-8-10	08E-610	T209-8X10
C7-FJX-12-12	12E-612	T209-12X12
C7-FJX-16-16	16E-616	T209-16X16



Gator Part #	Weatherhead Part #	CSI Part #
C7-FJX45-8-8	08E-688	T25-8X8



Gator Part #	Weatherhead Part #	CSI Part #
C7-FJX90-6-6	06E-666	T26-6X6
C7-FJX90-8-8	08E-668	T26-8X8





CATALOG 2020

is gator tough

Gator Hose 2 Wire (Bite-to-the wire) final Crimp Specifications Equivalent to the Z-Series or Parker 43 Series

Hose Type	Inches	Dash Size	Crimp Spec
PW - 1 Wire 4000 psi (Black)	3/8"	-6	0.816
PW - 2 Wire 6000 psi (Black)	3/8"	-6	0.817
PW - 1 Wire 4000 psi (Blue)	3/8"	-6	0.816
PW - 2 Wire 6000 psi (Blue)	3/8"	-6	0.817
SAE 100 R1AT / 1SN (1 Wire / Braid)	1/4"	-4	0.656
	3/8"	-6	.810
	1/2"	-8	0.955
	5/8"	-10	1.10
	3/4"	-12	1.25
	1"	-16	1.64
	1 1/4"	-20	1.91
	1 1/2"	-24	2.19
	2"	-32	2.736
SAE 100 R2AT / 2SN (2 Wire / Braid)	1/4"	-4	0.715
	3/8"	-6	.865
	1/2"	-8	0.999
	5/8"	-10	1.13
	3/4"	-12	1.309
	1"	-16	1.640
	1 1/4"	-20	2.09
	1 1/2"	-24	2.3
	2"	-32	2.91
SAE 100 R16 (2 Wire / Braid)	1/4"	-4	0.65
	3/8"	-6	0.819
	1/2"	-8	0.96
	5/8"	-10	1.16
	3/4"	-12	1.282
	1"	-16	1.61
SUPER FLEX 3,000	2"	-32	2.795



CATALOG 2020

is gator tough

NUMBERING SYSTEM FOR 200 SERIES COUPLINGS



DESIGN TYPE INDEX:

MP – MALE PIPE
MPX – MALE PIPE SWIVEL
MJ – MALE JIC
FJX – FEMALE JIC SWIVEL STRAIGHT
FJX45 – FEMALE JIC SWIVEL 45° ELBOW
FJX90 – FEMALE JIC SWIVEL 90° ELBOW
FJX90L – FEMALE JIC SWIVEL 90° LONG ELBOW
MB – MALE BOSS O-RING
MBX – MALE BOSS O-RING SWIVEL
MBX90 – MALE BOSS 90° O-RING SWIVEL
FFORX – STRAIGHT O-RING SWIVEL FEMALE
FFORX45 – ELBOW 45° O-RING SWIVEL FEMALE
FFORX90 – ELBOW 90° O-RING SWIVEL FEMALE
FFORX90L – ELBOW 90° O-RING SWIVEL FEMALE LONG DROP
FP – FEMALE PIPE STRAIGHT
FPX – FEMALE PIPE SWIVEL
FBSPX – FEMALE BRITISH SWIVEL PIPE

Gator Hose 200 series part numbers, Bite to the Wire Hydraulic Hose ends for 100R2 (R2) thin cover, 2SN, 100R16 (R16), 100R1 (R1), and Superflex 3000. Gator Hose couplings can be crimped in virtually all adjustable crimp machines. Some non-adjustable crimp equipment can produce crimp dimensions within recommended crimp specifications.



CATALOG 2020

is gator tough

200 Series Fittings

2-wire fittings equivalent to Weatherhead Z-series & Parker 43 Series
for Hoses 100R1, 100R2, 2SN, 100R16






CATALOG 2020

is gator tough

NPTF Male Solid Bite to the Wire




NPTF Male Solid - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	1/8-27	MP-04-02 2W	10143-2-4	GC01-4X2	04Z-102	
1/4"	1/4-18	MP-04-04 2W	10143-4-4	GC01-4X4	04Z-104	A01 4X4
1/4"	3/8-18	MP-04-06 2W	10143-6-4	GC01-4X6	04Z-106	
1/4"	1/2-14	MP-04-08 2W	10143-8-4	GC01-4X8	04Z-108	
3/8"	1/4-18	MP-06-04 2W	10143-4-6	GC01-6X4	06Z-104	
3/8"	3/8-18	MP-06-06 2W	10143-6-6	GC01-6X6	06Z-106	A01 6X6
3/8"	1/2-14	MP-06-08 2W	10143-8-6	GC01-6X8	06Z-108	
1/2"	1/2-18	MP-08-04 2W	10143-4-8	GC01-8x4	08Z-104	
1/2"	3/8-18	MP-08-06 2W	10143-6-8	GC01-8X6	08Z-106	A01 8X6
1/2"	1/2-14	MP-08-08 2W	10143-8-8	GC01-8X8	08Z-108	A01 8X8
1/2"	3/4-14	MP-08-12 2W	10143-12-8	GC01-8X12	08Z-112	
5/8"	1/2-14	MP-10-08 2W	10143-8-10	GC01-10X8	10Z-108	
3/4"	1/2-14	MP-12-08 2W	10143-8-12	GC01-12X8	12Z-108	
3/4"	3/4-14	MP-12-12 2W	10143-12-12	GC01-12X12	12Z-112	A01 12X12
3/4"	1-11 1/2	MP-12-16 2W	10143-16-12	GC01-12X16	12Z-116	
1"	3/4-14	MP-16-12 2W	10143-12-16	GC01-12-16	16Z-112	
1"	1-11 1/2	MP-16-16 2W	10143-16-16	GC01-16X16	16Z-116	A01 16X16
1-1/4"	1 1/4-11 1/2	MP-20-20 2W	10143-20-20	GC01-20X20	20Z-120	
1-1/2"	1 1/2-11 1/2	MP-24-24 2W	10143-24-24	GC01-24X24	24Z-124	
2"	2-11 1/2	MP-32-32 2W	10143-32-32	GC01-32X32	32Z-132	



CATALOG 2020

is gator tough

NPTF Male Swivel Bite to the Wire



NPTF Male Swivel - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	1/8-27	MPX-04-02 2W	11343-2-4	GC04-4x4	04Z-J02	A04-4x2
1/4"	1/4-18	MPX-04-04 2W	11343-4-4	GC04-4X4	04Z-J04	A04-4X4
1/4"	3/8-18	MPX-04-06 2W	11343-6-4	GC04-4X6	04Z-J06	
1/4"	1/2-14	MPX-04-08 2W	11343-8-4	GC04-4x8	04Z-J08	A04-4x8
3/8"	1/4-18	MPX-06-04 2W	11343-4-6	GC04-6x4	06Z-J04	A04-6x4
3/8"	3/8-18	MPX-06-06 2W	11343-6-6	GC04-6X6	06Z-J06	A04-6X6
3/8"	1/2-14	MPX-06-08 2W	11343-8-6	GC04-6X8	06Z-J08	
1/2"	3/8-18	MPX-08-06 2W	11343-6-8	GC04-8X6	08Z-J06	A04-8X6
1/2"	1/2-14	MPX-08-08 2W	11343-8-8	GC04-8X8	08Z-J08	A04-8X8
3/4"	3/4-14	MPX-12-12 2W	11343-12-12	GC04-12X12	12Z-J12	A04-12X12
1"	1-11 1/2	MPX-16-16 2W	11343-16-16	GC04-16X16	16Z-J16	A04-16X16

NPTF Male Swivel 90° Elbow Bite to the Wire



NPTF Male Swivel 90° - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	1/4-18	MPX90-4-4 2W	11L45-4-4	GC14-6-6	04Z-M04	
3/8"	3/8-18	MPX90-6-6 2W	11L43-6-6	GC14-6-6	06Z-M06	
1/2"	1/2-14	MPX90-8-8 2W	11L43-8-8	GC-14-8-8	08Z-M08	
3/4"	3/4-14	MPX90-12-12 2W	11L43-12-12		12Z-M12	



CATALOG 2020

is gator tough

JIC Male 37° Solid Bite to the Wire



JIC Male 37° Solid - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	7/16-20	MJ-04-04 2W	10343-4-4	GC08-4X4	04Z-504	A08-4X4
1/4"	1/2-20	MJ-04-05 2W	10343-5-4		04Z-505	
1/4"	9/16-18	MJ-04-06 2W	10343-6-4	GC08-4X6	04Z-506	A08-4X6
3/8"	9/16-18	MJ-06-06 2W	10343-6-6	GC08-6X6	06Z-506	A08-6X6
3/8"	3/4-16	MJ-06-08 2W	10343-8-6	GC08-6X8	06Z-508	A08-6X8
3/8"	7/8-14	MJ-06-10 2W	10343-10-6		06Z-510	
1/2"	3/4-16	MJ-08-08 2W	10343-8-8	GC08-8X8	08Z-508	A08-8X8
1/2"	7/8-14	MJ-08-10 2W	10343-10-8		08Z-510	A08-8X10
1/2"	1-1/16x12	MJ-08-12 2W	10343-12-8		08Z-512	
5/8"	7/8-14	MJ-10-10 2W	10343-10-10	GC08-10X10	10Z-510	A08-10X10
5/8"	1-1/16-12	MJ-10-12 2W	10343-12-10	GC08-10X12	10Z-512	
3/4"	1-1/16-12	MJ-12-12 2W	10343-12-12	GC08-12X12	12Z-512	A08-12X12
3/4"	1-5/16-12	MJ-12-16 2W	10343-16-12	GC08-12X16	12Z-516	
1"	1-5/16-12	MJ-16-16 2W	10343-16-16	GC08-16X16	16Z-516	A08-16X16
1-1/4"	1-5/8-12	MJ-20-20 2W	10343-20-20	GC08-20X20	20Z-520	



CATALOG 2020

is gator tough

JIC Female 37° Swivel Bite to to the Wire



JIC Female 37° Swivel - 200 Series

Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	7/16-20	FJX-04-04 2W	10643-4-4	GC09-4X4	04Z-604	A09-4X4
1/4"	1/2-20	FJX-04-05 2W	10643-5-4	GC09-4X5	04Z-605	A09-4X5
1/4"	9/16-18	FJX-04-06 2W	10643-6-4	GC09-4X6	04Z-606	A09-4X6
1/4"	7/16-20	FJX-06-04 2W	10643-4-6		06Z-604	A09-6X4
3/8"	9/16-18	FJX-06-06 2W	10643-6-6	GC09-6X6	06Z-606	A09-6X6
3/8"	3/4-16	FJX-06-08 2W	10643-8-6	GC09-6X8	06Z-608	A09-6X8
3/8"	7/8-14	FJX-06-10 2W	10643-10-6		06Z-610	
1/2"	9/16-18	FJX-08-06 2W	10643-6-8	GC09-8X6	08Z-606	A09-8X6
1/2"	3/4-16	FJX-08-08 2W	10643-8-8	GC09-8X8	08Z-608	A09-8X8
1/2"	7/8-14	FJX-08-10 2W	10643-10-8		08Z-610	A09-8X10
1/2"	1-1/16-12	FJX-08-12 2W	10643-12-8		08Z-612	
5/8"	3/4-16	FJX-10-08 2W	10643-8-10		10Z-608	
5/8"	7/8-14	FJX-10-10 2W	10643-10-10	GC09-10X10	10Z-610	A09-10X10
5/8"	1-1/16-12	FJX-10-12 2W	10643-12-10	GC09-10X12	10Z-612	A09-10X12
3/4"	7/8-14	FJX-12-10 2W	10643-10-12	GC09-12X10	12Z-610	
3/4"	1-1/16-12	FJX-12-12 2W	10643-12-12	GC09-12X12	12Z-612	A09-12X12
3/4"	1-2/16-12	FJX-12-16 2W	10643-16-12	GC09-12X16	12Z-616	A09-12X16
1"	1 1/16-12	FJX-16-12 2W	10643-12-16		16Z-612	
1"	1-5/16-12	FJX-16-16 2W	10643-16-16	GC09-16X16	16Z-616	A09-16X16
1"	1-5/8-12	FJX-16-20 2W	10643-20-16	GC09-16X20	16Z-620	
1-1/4"	1-5/8-12	FJX-20-20 2W	10643-20-20	GC09-20X20	20Z-620	A09-20X20
1-1/2"	1-7/8-12	FJX-24-24 2W	10643-24-24	GC09-24X24	24Z-624	
2"	2-1/2-12	FJX-32-32 2W	10643-32-32	GC09-32X32	32Z-632	



CATALOG 2020

is gator tough

SAE 45° Female Swivel Bite to the Wire



SAE Female 45° Swivel - 200 Series

Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	
3/8"	5/8-18	FSX-6-6 2W	10843-6-6	GC07-6-6	06Z-406	
3/4"	1 1/16-14	FSX-12-12 2W	10843-12-12	GC07-12-12	12Z-412	

JIC Female (37° Swivel) Elbow 45° Bite to the Wire



JIC Female (37° Swivel), Elbow 45° - 200 Series

Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	7/16-20	FJX45-04-04 2W	13743-4-4	GC25-4X4	04Z-684	A25-4X4
1/4"	1/2-20	FJX45-04-05 2W	13743-5-4		04Z-685	
1/4"	9/16-18	FJX45-04-06 2W	13743-6-4	GC25-4X6	04Z-686	
3/8"	9/16-18	FJX45-06-06 2W	13743-6-6	GC25-6X6	06Z-686	A25-6X6
3/8"	7/8-14	FJX45-06-10 2W	13743-10-6		06Z-690	
3/8"	3/4-16	FJX45-06-08 2W	13743-8-6	GC25-6X8	06Z-688	A25-6X8
1/2"	3/4-16	FJX45-08-08 2W	13743-8-8	GC25-8X8	08Z-688	A25-8X8
1/2"	7/8-14	FJX45-08-10 2W	13743-10-8	GC25-8X10	08Z-690	A25-8X10
5/8"	7/8-14	FJX45-10-10 2W	13743-10-10	GC25-10X10	10Z-690	A25-10X10
5/8"	1-1/16-12	FJX45-10-12 2W	13743-12-10	GC25-10X12	10Z-692	
3/4"	1-1/16-12	FJX45-12-12 2W	13743-12-12	GC25-12X12	12Z-692	A25-12X12
3/4"	1-5/16-12	FJX45-12-16 2W	13743-16-12		12Z-696	
1"	1-5/16-12	FJX45-16-16 2W	13743-16-16	GC25-16X16	16Z-696	A25-16X16
1"	1-5/8-12	FJX45-16-20 2W	13743-20-16		16Z-697	
1-1/4"	1-5/8-12	FJX45-20-20 2W	13743-20-20	GC25-20X20	20Z-697	
1 1/2"	1-7/8-12	FJX45-24-24 2W	13743-24-24		NA	
2"	2 1/2-12	FJX45-32-32 2W	13743-32-32		NA	



CATALOG 2020

is gator tough

JIC Female (37° Swivel) Elbow 90° Bite to the Wire



JIC Female (37° Swivel), Elbow 90° - 200 Series

Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	7/16-20	FJX90-04-04 2W	13943-4-4	GC26-4X4	04Z-664	A26-4X4
1/4"	1/2-20	FJX90-04-05 2W	13943-5-4	GC26-4X5	04Z-665	
1/4"	9/16-18	FJX90-04-06 2W	13943-6-4	GC26-4X6	04Z-666	A26-4X6
3/8"	7/16-20	FJX90-06-04 2W	13943-4-6	GC26-6X4	06Z-664	A26-6X4
3/8"	9/16-18	FJX90-06-06 2W	13943-6-6	GC26-6X6	06Z-666	A26-6X6
3/8"	3/4-16	FJX90-06-08 2W	13943-8-6	GC26-6X8	06Z-668	A26-6X8
3/8"	7/8-14	FJX90-06-10 2W	13943-10-6		NA	
1/2"	9/16-18	FJX90-08-06 2W	13943-6-8	GC26-8X6	08Z-666	A26-8X6
1/2"	3/4-16	FJX90-08-08 2W	13943-8-8	GC26-8X8	08Z-668	A26-8X8
1/2"	7/8-14	FJX90-08-10 2W	13943-10-8	GC26-8X10	08Z-670	A26-8X10
1/2"	1-1/16-20	FJX90-08-12 2W	13943-12-8		08Z-672	
5/8"	7/8-14	FJX90-10-10 2W	13943-10-10	GC26-10X10	10Z-670	A26-10X10
5/8"	1-1/16-20	FJX90-10-12 2W	13943-12-10	GC26-10X12	10Z-672	
3/4"	1-1/16-12	FJX90-12-12 2W	13943-12-12	GC26-12X12	12Z-672	A26-12X12
3/4"	1-5/16-12	FJX90-12-16 2W	13943-16-12	GC26-12V16	12Z-676	
1"	1-5/16-12	FJX90-16-16 2W	13943-16-16	GC26-16X16	16Z-676	A26-16X16
1-1/4"	1-5/8-12	FJX90-20-20 2W	13943-20-20	GC26-20X20	20Z-677	A26-20X20
1-1/2"	1-1/2"	FJX90-24-24 2W	13943-24-24		24Z-678	
2"	2"	FJX90-32-32 2W	13943-32-32		N/A	



CATALOG 2020

is gator tough


JIC Female (37° Swivel) 90° Long Drop Bite to the Wire



JIC Female (37 Swivel), 90° Long Drop - 200 Series

Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	7/16-20	FJX90L-04-04 2W	14143-4-4	GC27-4X4	04Z-644
3/8"	9/16-18	FJX90L-06-06 2W	14143-6-6	GC27-6X6	06Z-646
3/8"	3/4-16	FJX90L-06-08 2W	14143-8-6	GC27-6X8	06Z-648
1/2"	3/4-16	FJX90L-08-08 2W	14143-8-8	GC27-8X8	08Z-648
1/2"	7/8-14	FJX90L-08-10 2W	14143-10-8	GC27-10X8	08Z-650
5/8"	7/8-14	FJX90L-10-10 2W	14143-10-10	GC27-10X10	10Z-650
3/4"	1-1/16-12	FJX90L-12-12 2W	14143-12-12	GC27-12x12	12Z-652
1"	1-5/16-12	FJX90L-16-16 2W	14143-16-16	GC27-16X16	16Z-656L33

Male Boss O-Ring ORB Bite to the Wire



Male Boss O-Ring Swivel - 200 Series

Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	7/16-20	MB-04-04 2W	10543-4-4	GC11-4X4	04Z-P04
3/8"	9/16-18	MB-06-06 2W	10543-6-6	GC11-6X6	06Z-P06
3/8"	3/4-6	MB-06-08 2W	10543-8-6	GC11-6X8	06Z-P08
1/2"	9/16-18	MB-08-06 2W	10543-6-8	GC11-8x6	08Z-P06
1/2"	3/4-16	MB-08-08 2W	10543-8-8	GC11-8X8	08Z-P08
1/2"	7/8-14	MB-08-10 2W	10543-10-8	GC11-8X10	08Z-P10
5/8"	7/8-14	MB-10-10 2W	10543-10-10	GC11-10x10	10Z-P10
3/4"	1-1/16-12	MB-12-12 2W	10543-12-12	GC11-12X12	12Z-P12
1"	1-5/16-12	MB-16-16 2W	10543-16-16	GC11-16X16	16Z-P16



CATALOG 2020

is gator tough

Male Boss O-Ring Swivel Bite to the Wire

Male Boss O-Ring Swivel - 200 Series

Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
3/8"	9/16-18	MBX-6-6 2W	10G43-6-6	GC12-6-6	06Z-R06
3/8"	4/3-16	MBX-6-8 2W	10G43-8-6	GC12-6-8	06Z-R08
1/2"	4/3-16	MBX-8-8 2W	10G43-8-8	GC12-8-8	08Z-R08



Male Boss O-Ring Swivel 90° Bite to the Wire

Male Boss O-Ring Swivel 90° - 200 Series

Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
3/8"	9/16-18	MBX90-6-6 2W	10L43-6-6	GC15-6-6	06Z-R66
1/2"	3/4-16	MBX90-8-8 2W	10L43-8-8	GC15-8-8	08Z-R68
3/4"	1 1/16-12	MBX90-12-12 2W	10L43-12-12	GC15-12-12	12Z-R72






CATALOG 2020

is gator tough

Straight O-Ring Swivel Female ORFS Bite to the Wire



Straight O-Ring Swivel Female ORFS - 200 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip Crimp	Weatherhead
1/4"	9/16-18	FFORX-04-04 2W	1JS43-4-4	GC30-4X4	04Z-S64
1/4"	11/16-16	FFORX-04-06 2W	1JS43-6-4	GC30-4X6	04Z-S66
1/4"	13/16-16	FFORX-04-08 2W	1JS43-8-4	GC30-4X8	04Z-S68
3/8"	9/16-18	FFORX-06-04 2W	1JS43-4-6		06Z-S64
3/8"	11/16-16	FFORX-06-06 2W	1JS43-6-6	GC30-6X6	06Z-S66
3/8"	13/16-16	FFORX-06-08 2W	1JS43-8-6	GC30-6X8	06Z-S68
1/2"	11/16-16	FFORX-08-06 2W	1JS43-6-8	GC30-8X6	08Z-S66
1/2"	13/16-16	FFORX-08-08 2W	1JS43-8-8	GC30-8X8	08Z-S68
1/2"	1x14	FFORX-08-10 2W	1JS43-10-8	GC30-8X10	08Z-S70
1/2"	1-3/16-12	FFORX-08-12 2W	1JS43-12-8		08Z-S72
5/8"	13/16-16	FFORX-10-08 2W	1JS43-8-10		10Z-S68
5/8"	1-14	FFORX-10-10 2W	1JS43-10-10	GC30-10X10	10Z-S70
5/8"	1-3/16-12	FFORX-10-12 2W	1JS43-12-10	GC30-10X12	10Z-S72
3/4"	1-14	FFORX-12-10 2W	1JS43-10-12	GC30-12X10	12Z-S70
3/4"	1-3/16-12	FFORX-12-12 2W	1JS43-12-12	GC30-12X12	12Z-S72
3/4"	1-7/16-12	FFORX-12-16 2W	1JS43-16-12	GC30-12X16	12Z-S76
1"	1-3/16-12	FFORX-16-12 2W	1JS43-12-16		16Z-S72
1"	1-7/16-12	FFORX-16-16 2W	1JS43-16-16	GC30-16-16	16Z-S76
1"	1-11/16-12	FFORX-16-20 2W	1JS43-20-16		16Z-S80
1-1/4"	1-11/16-12	FFORX-20-20 2W	1JS43-20-20	GC30-20X20	20Z-S80
1-1/2"	2-12	FFORX-24-24 2W	1JS43-24-24		24Z-S84



CATALOG 2020

is gator tough

Elbow 45° O-Ring Swivel Female ORFS Bite to the Wire



Elbow 45° O-Ring Swivel Female ORFS -200 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	9/16-18	FFORX45-04-04 2W	1J743-4-4	GC31-4X4	04Z-L64
1/4"	11/16-16	FFORX45-04-06 2W	1J743-6-4	GC31-4X6	04Z-L66
3/8"	11/16-16	FFORX45-06-06 2W	1J743-6-6	GC31-6X6	06Z-L66
3/8"	13/16-16	FFORX45-06-08 2W	1J743-8-6	GC31-6X8	06Z-L68
1/2"	11/16-16	FFORX45-08-06 2W	1J743-6-8	GC31-8X6	08Z-L66
1/2"	13/16-16	FFORX45-08-08 2W	1J743-8-8	GC31-8X8	08Z-L68
1/2"	1-14	FFORX45-08-10 2W	1J743-10-8		08Z-L70
5/8"	1-14	FFORX45-10-10 2W	1J743-10-10	GC31-10X10	10Z-L70
3/4"	1-3/16-12	FFORX45-12-12 2W	1J743-12-12	GC31-12X12	12Z-L72
1"	1-3/16-12	FFORX45-16-12 2W	1J743-12-16		16Z-L72
1"	1-7/16-12	FFORX45-16-16 2W	1J743-16-16	GC31-16X16	16Z-L76
1-1/4"	1-11/16-12	FFORX45-20-20 2W	1J743-20-20	GC31-20X20	20Z-L80
1-1/2"	2-12	FFORX45-24-24 2W	1J743-24-24		24Z-L84



CATALOG 2020

is gator tough

Elbow 90° O-Ring Swivel Female ORFS Bite to the Wire



Elbow 90° O-Ring Swivel Female ORFS - 200 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	9/16-18	FFORX90-04-04 2W	1J943-4-4	GC34-4X4	04Z-A24
1/4"	11/16-16	FFORX90-04-06 2W	1J943-6-4	GC34-4X6	04Z-A26
1/4"	13/16-16	FFORX90-04-08 2W	1J943-8-4	GC34-4X8	04Z-A28
3/8"	9/16-18	FFORX90-06-04 2W	1J943-4-6	GC34-6X4	06Z-A24
3/8"	11/16-16	FFORX90-06-06 2W	1J943-6-6	GC34-6X6	06Z-A26
3/8"	13/16-16	FFORX90-06-08 2W	1J943-8-6	GC34-6X8	06Z-A28
1/2"	11/16-16	FFORX90-08-06 2W	1J943-6-8	GC34-8X6	08Z-A26
1/2"	13/16-16	FFORX90-08-08 2W	1J943-8-8	GC34-8X8	08Z-A28
1/2"	1-14	FFORX90-08-10 2W	1J943-10-8	GC34-8X10	08Z-A30
1/2"	1-3/16-12	FFORX90-08-12 2W	1J943-12-8	GC34-8X12	08Z-A32
5/8"	13/16-16	FFORX90-10-08 2W	1J943-8-10	GC 34-10X8	10Z-A28
5/8"	1-14	FFORX90-10-10 2W	1J943-10-10	GC34-10X10	10Z-A30
5/8"	1-3/16-12	FFORX90-10-12 2W	1J943-12-10	GC34-10X12	10Z-A32
3/4"	1-14	FFORX90-12-10 2W	1J943-10-12	GC34-12X10	12Z-A30
3/4"	1-3/16-12	FFORX90-12-12 2W	1J943-12-12	GC34-12X12	12Z-A32
3/4"	1-7/16-12	FFORX90-12-16 2W	1J943-16-12		12Z-A36
1"	1-3/16-12	FFORX90-16-12 2W	1J943-12-16		16Z-A32
1"	1-7/16-12	FFORX90-16-16 2W	1J943-16-16	GC34-16X16	16Z-A36
1"	1-11/16-12	FFORX90-16-20 2W	1J943-20-16	GC34-16X20	16Z-A40
1-1/4"	1-7/16-12	FFORX90-20-16 2W	1J943-16-20		20Z-A36
1-1/4"	1-11/16-12	FFORX90-20-20 2W	1J943-20-20	GC34-20X20	20Z-A40
1-1/4"	2-12	FFORX90-20-24 2W	1J943-24-20		20Z-A44
1-1/2"	2-12	FFORX90-24-24 2W	1J943-24-24		24Z-A44



CATALOG 2020

is gator tough

Female Pipe Rigid Bite to the Wire



Female Pipe Rigid - 200 Series

Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI
1/4"	1/4-18	FP-4-4 2W	10243-4-4	GC02-4X4	04Z-204	A02-4X4
3/8"	3/8-18	FP-6-6 2W	10243-6-6	GC02-6X6	06Z-206	A02-6X6
3/8"	3/8-14	FP-6-8 2W	10243-8-6	GC02-6X8	06Z-208	N/A
1/2"	1/2-14	FP-8-8 2W	10243-8-8	GC02-8X8	08Z-208	A02-8X8

Female Pipe Swivel Bite to the Wire



Female Pipe Swivel - 200 Series

Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI
1/4"	1/4-18	FPX-4-4 2W	10743-4-4	GC16-4X4	04Z-054	A05-4X4
3/8"	3/8-18	FPX-6-6 2W	10743-6-6	GC16-6X6	06Z-056	A05-6X6
3/8"	3/8-14	FPX-6-8 2W	10743-8-6	GC16-6X8	06Z-058	N/A
1/2"	1/2-14	FPX-8-8 2W	10743-8-8	GC16-8X8	08Z-058	A05-8X8
3/4"	3/4-14	FPX-12-12 2W	10743-12-12	GC16-12X12	12Z-062	N/A
1"	1-11 1/2	FPX-16-16 2W	10743-16-16	GC16-16X16	16Z-066	N/A

British Standard Pipe Parallel (BSPP) Female Swivel Bite to the Wire



British Standard Pipe (BSPP)- 200 Series

Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	1/4-18	FBSPX-4-4	19243-4-4	GC10-4X4	04Z-354
3/8"	3/8-18	FBSPX-6-6	19243-6-6	GC10-6X6	06Z-356
1/2"	3/8-14	FBSPX-8-8	19243-8-8	GC10-8X8	08Z-358



CATALOG 2020

is gator tough

NUMBERING SYSTEM FOR 400 SERIES COUPLINGS



DESIGN TYPE INDEX:

MP-MALE PIPE
MJ – MALE JIC
FJX – FEMALE JIC SWIVEL STRAIGHT
FJX45 – FEMALE JIC SWIVEL 45 DEGREE ELBOW
FJX90 – FEMALE JIC SWIVEL 90 DEGREE ELBOW
FFORX – STRAIGHT O-RING SWIVEL FEMALE
FFORX45 – ELBOW 45 DEGREE O-RING SWIVEL FEMALE
FFORX90 – ELBOW 90 DEGREE O-RING SWIVEL FEMALE

NUMBERING SYSTEM FOR 4-WIRE FLANGES



F401 - CODE 61 STRAIGHT FLANGE
F441- CODE 61 ELBOW 45 DEGREE
F491 - CODE 61 ELBOW 90 DEGREE
F402 - CODE 62 STRAIGHT FLANGE
F442 - CODE 62 ELBOW 45 DEGREE
F492 - CODE 62 ELBOW 90 DEGREE



CATALOG 2020

is gator tough

Gator Hose 4 Wire (Bite-to-the wire) final Crimp Specifications Equivalent to Weatherhead 430-Series or Parker 4-wire

Hose Type	Inches	Dash Size	Crimp Spec	
Gator Superflex 3,000	2"	-32	2.86	API fitting
	2"	-32	2.8	Std. fitting
R12	1/2"	-8	1.08	
	3/4"	-12	1.39	
	5/8"	-10	1.181	
	1"	-16	1.65	
	1-1/4"	-20	2.055	
	1-1/2"	-24	2.25	
	2"	-32	2.88	Std. fitting
	2"	-32	2.85	API fitting
4SH	3/4"	-12	1.4	
	5/8"	-10	1.19	
	1"	-16	1.65	
	1-1/4"	-20	2.109	
	1-1/2"	-24	2.29	



CATALOG 2020

is gator tough

400 Series Fittings

4-wire fittings equivalent to Weatherhead 430 or Parker 4-wire Series
for Hoses 100R12 and 4SH






CATALOG 2020

is gator tough

NPTF Male Solid Bite to the Wire



NPTF, Male Solid - 400 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	GW series	Parker	Weatherhead
3/8"	3/8-18	MP-06-06 4W		10171-6-6	43006U-106
1/2"	1/2-14	MP-08-08 4W	GW01-8X8	10171-8-8	43008U-108
3/4"	3/4-14	MP-12-12 4W	GW01-12X12	10171-12-12	43012U-112
3/4"	1-11 1/2	MP-16-16 4W	GW01-16X16	10171-16-16	43016U-116
1-1/4"	1 1/4-11 1/2	MP-20-20 4W	GW01-20X20	10171-20-20	43020U-120
1-1/2"	1 1/2-11 1/2	MP-24-24 4W	GW01-24X24	10171-24-24	43024U-124
2"	2-11 1/2	MP-32-32 4W	GW01-32X32	10171-32-32	43032U-132

JIC Male 37° Solid Bite to the Wire



JIC Male 37° Solid - 400 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	GW Series	Parker	Weatherhead
3/4"	1-1/16-12	MJ-12-12 4W	GW08-12X12	10371-12-12	43012U-512
1"	1-5/16-12	MJ-16-16 4W	GW08-16X16	10371-16-16	43016U-516
1-1/4"	1-5/8-12	MJ-20-20 4W	GW08-20X20	10371-20-20	43020U-520

JIC Female 37° Swivel Bite to the Wire



JIC Female 37° Swivel - 400 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	GW Series	Weatherhead
1/2"	3/4-16	FJX-08-08 4W	10671-8-8	GW09-8X8	43008U-608
5/8"	7/8-14	FJX-10-10 4W	10671-10-10	GW09-10x10	43010U-610
3/4"	1-1/16-12	FJX-12-12 4W	10671-12-12	GW09-12X12	43012U-612
3/4"	1-5/16-12	FJX-12-16 4W		GW09-12X16	43012U-616
1"	1-5/16-12	FJX-16-16 4W	10671-16-16	GW09-16X16	43016U-616
1"	1-5/8-12	FJX-16-20 4W		GW09-16X20	43016U-620
1-1/4"	1-5/8-12	FJX-20-20 4W	10671-20-20	GW09-20X20	43020U-620
1-1/2"	1-7/8-12	FJX-24-24 4W	10671-24-24	GW09-24X24	43024U-624
2"	2-1/2-12	FJX-32-32 4W	10671-32-32	GW09-32X32	43032U-632



CATALOG 2020

is gator tough

JIC Female (37° Swivel) Elbow 45° Bite to the Wire



JIC Female (37° Swivel), Elbow 45° - 400 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	GW Series	Weatherhead
3/4"	1-5/16-12	FJX45-12-12 4W	13771-12-12	GW25-12X12	43012U-692
1"	1-5/16-12	FJX45-16-16 4W	13771-16-16	GW25-16X16	43016U-696
1-1/4"	1-5/8-12	FJX45-20-20 4W	13771-20-20	GW25-20X20	43020U-697
1-1/2"	1-7/8-12	FJX45-24-24 4W	13771-24-24	GW25-24X24	NA
2"	2 1/2-12	FJX45-32-32 4W	13771-32-32		NA

JIC Female (37° Swivel) Elbow 90° Bite to the Wire




JIC Female (37° Swivel), Elbow 90° - 400 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	GW Series	Parker	Weatherhead
1/2"	3/4-16	FJX90-08-08 4W	GW26-8x8	13971-8-8	43008U-668
1/2"	7/8-14	FJX90-08-10 4W	GW26-8X10	13971-10-8	43008U-670
5/8"	7/8-14	FJX90-10-10 4W	GW26-10x10	13971-10-10	43010U-670
3/4"	1-1/16-12	FJX90-12-12 4W	GW26-12-12	13971-12-12	43012U-672
1"	1-5/16-12	FJX90-16-16 4W	GW26-16-16	13971-16-16	43016U-676
1-1/4"	1-5/8-12	FJX90-20-20 4W	GW26-20X20	13971-20-20	43020U-677
1-1/2"	1-7/8-12	FJX90-24-24 4W	GW26-24X24	13971-24-24	43024U-678
2"	2-1/2-12	FJX90-32-32 4W	GW26-32-32	13971-32-32	NA



CATALOG 2020


is gator tough

Straight O-Ring Swivel Female ORFS Bite to the Wire



Straight O-Ring Swivel Female ORFS - 400 Series				
Description		Cross-Reference Part Numbers		
Hose ID	Thread Size	GATOR	GW Series	Weatherhead
1/2"	13/16-16	FFORX-08-08 4W	GW30-8X8	43008U-S68
3/4"	1-3/16-12	FFORX-12-12 4W	GW30-12X12	43012U-S72
3/4"	1-7/16-12	FFORX-12-16 4W	GW30-12X16	43012U-S76
1"	1-7/16-12	FFORX-16-16 4W	GW30-16X16	43016U-S76
1-1/4"	1-11/16-12	FFORX-20-20 4W	GW30-20X20	43020U-S80
1 1/2"	2-12	FFORX-24-24 4W	GW30-24X24	43024U-S84

Elbow 45° O-Ring Swivel Female ORFS Bite to the Wire



Elbow 45° O-Ring Swivel Female ORFS -400 Series				
Description		Cross-Reference Part Numbers		
Hose ID	Thread Size	GATOR	GW Series	Weatherhead
3/4"	1-3/16-12	FFORX45-12-12 4W	GW31-12X12	43012U-L72
1"	1-7/16-12	FFORX45-16-16 4W	GW31-16X16	43016U-L76
1-1/4"	1-11/16-12	FFORX45-20-20 4W	GW31-20X20	43020U-L80
1 1/2"	2-12	FFORX45-24-24 4W	GW31-24X24	43024U-L84



CATALOG 2020

is gator tough

Elbow 90° O-Ring Swivel Female ORFS Bite to the Wire

Elbow 90° O-Ring Swivel Female ORFS - 400 Series				
Description		Cross-Reference Part Numbers		
Hose ID	Thread Size	GATOR	GW Series	Weatherhead
3/4"	1-3/16-12	FFORX90-12-12 4W	GW32-12X12	43012U-A32
1"	1-7/16-12	FFORX90-16-16 4W	GW32-16X16	43016U-A36
1-1/4"	1-11/16-12	FFORX90-20-20 4W	GW32-20X20	43020U-A40
1 1/2"	2-12	FFORX90-24-24 4W	GW32-24X24	43024U-A44



Flange 61 - Straight

Flange 61, Straight - 400 Series				
Description		Cross-Reference Part Numbers		
Hose ID	Flange Size	GATOR	GW Series	Weatherhead
3/4"	3/4"	F401-12-12	GW47-12X12	43012U-G12
3/4"	1"	F401-12-16		43012U-G16
1"	3/4"	F401-16-12		NA
1"	1"	F401-16-16	GW47-16X16	43016U-G16
1-1/4"	1-1/4"	F401-20-20	GW47-20X20	43020U-G20
1-1/2"	1-1/2"	F401-24-24	GW47-24X24	43024U-G24
2"	2"	F401-32-32	GW47-32X32	43032U-G32





CATALOG 2020

is gator tough

Flange 61 - 45° Elbow Bite to the Wire



Flange 61, Elbow 45° - 400 Series

Description		Cross-Reference Part Numbers		
Hose ID	Flange Size	GATOR	GW Series	Weatherhead
3/4"	3/4"	F441-12-12	GW50-12X12	43012U-G42
1"	1"	F441-16-16	GW50-16X16	43016U-G46
1-1/4"	1-1/4"	F441-20-20	GW50-20X20	43020U-G50
1-1/2"	1-1/2"	F441-24-24	GW50-24X24	43024U-G54
2"	2"	F441-32-32	GW50-32X32	43032U-G62

Flange 61 - 90° Elbow Bite to the Wire



Flange 61, Elbow 90° - 400 Series

Description		Cross-Reference Part Numbers		
Hose ID	Flange Size	GATOR	GW Series	Weatherhead
3/4"	3/4"	F491-12-12	GW53-12X12	43012U-G72
1"	3/4"	F491-16-12		NA
1"	1"	F491-16-16	GW53-16X16	43016U-G76
1-1/4"	1-1/4"	F491-20-20	GW53-20X20	43020U-G80
1-1/2"	1-1/2"	F491-24-24	GW53-24X24	43024U-G84
2"	2"	F491-32-32	GW53-32X32	43032U-G92



CATALOG 2020

is gator tough


Flange 62 - Straight Bite to the Wire



Flange 62, Straight - 400 Series

Description		Cross-Reference Part Numbers		
Hose ID	Flange Size	GATOR	GW Series	Weatherhead
3/4"	3/4"	F402-12-12	GW60-12X12	43012U-D12
1"	1"	F402-16-16	GW60-16X16	43016U-D16
1"	1 1/4"	F402-16-20		43016U-D20
1-1/4"	1-1/4"	F402-20-20	GW60-20X20	43020U-D20
1 1/2"	1 1/2"	F402-24-24	GW60-24X24	43024U-D24
2"	2"	F402-32-32	N/A	43032U-D32

Flange 62- Elbow 45° Bite to the Wire



Flange 62, Elbow 45° - 400 Series

Description		Cross-Reference Part Numbers		
Hose ID	Flange Size	GATOR	GW Series	Weatherhead
3/4"	3/4"	F442-12-12	GW61-12X12	43012U-D42
1"	1"	F442-16-16	GW61-16X16	43016U-D46
1"	1 1/4"	F442-16-20		43016U-D50
1-1/4"	1-1/4"	F442-20-20	GW61-20X20	43020U-D50
1 1/2"	1 1/2"	F442-24-24	N/A	43024U-D54
2"	2"	F442-32-32	N/A	43032U-D62



CATALOG 2020

is gator tough

Flange 62 - Elbow 90° Bite to the Wire



Flange 62, Elbow 90° - 400 Series

Description		Cross-Reference Part Numbers		
Hose ID	Flange Size	GATOR	GW Series	Weatherhead
3/4"	3/4"	F492-12-12	GW62-12X12	43012U-D72
1"	3/4"	F492-16-12		NA
1"	1"	F492-16-16	GW62-16X16	43016U-D76
1"	1 1/4"	F492-16-20		43016U-D80
1-1/4"	1-1/4"	F492-20-20	GW62-20X20	43020U-D80
1 1/2"	1 1/2"	F492-24-24	N/A	43024U-D84
2"	2"	F492-32-32	N/A	43032U-D92

Female British Standard Pipe Parallel Bite to the Wire

Female British Standard Pipe Parallel - 400 Series

Description		Cross-Reference Part Numbers		
Hose ID	Thread Size	GATOR	GW Series	Weatherhead
3/4"	G-3/4-14	FBSP-12-12 4W		43012U-362



Female British Standard Pipe Parallel Bite to the Wire

Female British Std. Pipe Parallel 90° Elbow - 400 Series

Description		Cross-Reference Part Numbers		
Hose ID	Thread Size	GATOR	GW Series	Weatherhead
3/4"	G-3/4-14	FBSP90-12-12 4W		43012U-82P

